...The...

Canton Steel Roofing Co.

Canton, Ohio.

U. S. A.

CAPITAL, $150,000.00.

Established 1877. Incorporated 1888.



To The Trade.

We have greater and better facilities than ever before for furnishing a complete line of Sheet Metal Goods of all kinds, including many new and improved styles, all of best quality, design and workmanship.

Soliciting a liberal patronage,

Respectfully,

THE CANTON STEEL ROOFING CO.,

CANTON, OHIO.

SEE INDEX TO CONTENTS.

TERMS.

To Parties Known to be Responsible and Prompt—Net Cash in 30 days, or 2 per cent. off if cash is paid within 10 days from date of invoice.

To Parties Not Known to be Responsible—Cash on presentation of sight draft with bill of lading attached on arrival of goods. On shipments made this way, the buyer always secures the cash discount.

All claims against invoices must be made on receipt of goods.

Remittances are requested to be made in New York Draft, Express or P. O. Order, to save us the expense of exchange on personal checks.

All accounts subject to sight draft after maturity. Overdue accounts subject to 6 per cent. interest.

Telegrams must positively be prepaid.

Prices subject to change without notice.

All contracts subject to strikes, accidents, delays in transit or other causes beyond our control.

NOTICE.

☞ All orders sent us without previous quotations will be shipped at our regular prices, which will be as low as if quoted before receiving the order.

THE H. W. SMITH PATENT

Folded Lock Seam Roofing.

Fig. 2.



1—The Roofing in Rolls.
2—The Roofing as unrolled.
3—Cross-lock or Flat Seam.
4—1-inch Edge turned up with Tongs.
5—2¼-inch Edge turned up with Tongs
6—Cleats or Fastening.
7—Man Turning Edges with Tongs.
8—Man Folding Edges with Seamers.
9—Finished Standing Folded Seam.
10—Flashing along the Fire Walls.
11—Lap to turn down at Eaves and Gables Edges.
12—Eave Trough.



Old Style Cleat.

New Style Cleat.



Double Seam Cross-Lock.



Standing Seam.

The only **Double Seamed Cross-Lock Roofing.**

We guarantee **These Cross Seams** not to leak nor to come apart.

The best and most reliable plan of construction known.

Highest in reputation, preferable to any other, and more largely sold.

Guaranteed best quality, and always satisfactory.

Strong seams securely fastened, suitable for all buildings.

Contraction overcome. Conforms to surface with uniform tension not produced by other plans.

Fire, Lightning, Wind and Water Proof.

Tools at cost to agents.

WRITE FOR PRICES.

The Smith Patent Roofing.

Has Double Seamed Cross-Locks which cannot come apart nor leak.



Prepared from best quality of soft Metal Sheets, No. 28 U. S. Standard Gauge, 96 to 120 inches long.

The sheets are trimmed with squaring shears, then thoroughly painted on both sides by machine and brush, with our latest improved paint, and connected at ends by our Patent **Double Seamed Cross Lock,** not by the common single hook lock.

We use red oxide paint, unless Graphite painting is ordered.

Paint is the protection, and it is economy to use the best. The cost is but little more, while the durability will be far greater.

☞Galvanized Roofing should be used where steam, sulphur, acids or other injurious substances are encountered.

We do not paint galvanized roofing except when so ordered, for which we charge accordingly.

PLAN OF CONSTUCTION.

By the Smith Patent plan of folding the edges together with the **concealed** cleats when being applied, the material adjusts to inequalities, and makes the Folded Standing Lock Seam tighter, stronger, nicer in appearance and more reliable than can be procured by any other plan. A more uniform tension is secured, which prevents rattling, leaking and loosening of the joints by force of the winds, so common in other standing seam roofings.

This plan of construction furnishes its own ridge and hip capping by a folded seam combined with the roof, and can be attached to either Painted Steel, Tin, or other kind of gutters and valleys.

Tinners prefer this plan to any other because the construction is simple and **can be applied as rapidly as any other,** and a more satisfactory roof obtained when completed. When applied according to our printed directions, can be used on one-half inch fall per foot.

More pitch is better for any roof, as the object of a roof is to shed water, not to serve as a tank. On exceedingly flat roofs, the standing seams should be cemented at the bottom of the fold wherever liable to be flooded.

WRITE FOR PRICES.

It is a mistake to suppose all metallic roofs alike or of equal value. There is as much difference as in slate, tin or shingle roofing. It is false economy to buy a faulty and inferior roof to save a small difference in price.

A Square, as shipped by us, consists of a strip of connected sheets 2¼ feet wide by 50 feet long, or its equivalent, and 40 cleats. The covering capacity is 100 square feet when applied, and weighs about 74 pounds.

PRICES—Enough for One square.

Dry Paint Red	2 cents.	Paste Paint, Red	3 cents.
Ready Mixed, Red	15 cents.	Graphite, ready mixed	20 cents.

For Paint in Regular Size Packages, see Page 15. Nails, Page 29.

ROOFING TOOLS FOR APPLYING ALL KINDS.

One pair 2⅛ inch Steel Tongs	$ 1.50, net.
" " 1 " " "	1.50, "
" " 1 " Seamers	4.00, "
" " 1⅞ " "	4.00, "
" " No. 7 Tinner's Snips	1.50, "
" Roofing Hammer	.40, "
" Mallet	.10, "
Tool Box, made special	1.00, "
Set, complete, with Box, weighs about 100 pounds	$14.00,

The Foot Treadle on our Seamers can be used as a Cap Squeezer for other roofs.

☞Dealers in Roofing should buy Tools for economy and convenience.

We loan Roofing Tools only to customers not having such, charging estimated return expenses.

☞We do not send shears, hammer nor mallet except when ordered, as dealers usually have them.

☞As soon as the roofing is laid, the box of tools must be promptly shipped us, with a card attached, showing by whom returned, and the bill of lading mailed as proof of shipment to enable us to trace if lost in transit. Until returned they stand charged to the borrower, and **subject to sight draft for their value.**

METALLIC ROOFING IS LIGHTNING PROOF.

This claim is not an advertising assertion, but a fact. Lightning has never been known to injure a roof covered with sheet metal; hence, loss of life, property and the need of lightning rods is prevented. Iron buildings and other iron structures are never destroyed by lightning.

Authorities agree that combustion cannot occur, because the large metallic surface scatters the electricity and renders it harmless.

These facts deserve appreciation by all, especially by owners of newly filled barns, as barns are struck by lightning oftener than other buildings.

INSURANCE

Is less on buildings covered with Metallic Roofing, because the material is both fire and lightning proof.

Iron clad buildings are permitted within the fire limits of all cities, and can be made as beautiful as any other kind.

WRITE FOR PRICES.

Folded Standing Seam Roofing.

No Separate Cap Required. Well Known to The Trade.



Galvanized Cleats Furnished.

Made of Soft Metal Sheets, connected by Double Seamed Cross Locks, always painted red, by both machine and brush, with pure Iron Oxide and Boiled Linseed Oil Paint, unless ordered otherwise.

Sheets used are 8 to 10 feet long, connected by our double seamed end locks. Guaranteed not to leak nor come apart.

Shipped in rolls containing 100 square feet and 1½ pounds of Galvanized Cleats. Weight, about 73 pounds.

☞This roofing, by reason of our Double Seamed Cross Locks, is better than any other roofing of this style on the market.

☞When ordered to be painted with our Improved Graphite Paint, price will be 10 cents per square higher.

Tools for Applying this Roofing are:—1 inch and 1⅝ inch Tongs, 1 inch Seamer, Shears, Hammer and Mallet. Apply as shown by the cut.

WRITE FOR PRICES.

Roll and Cap Roofing.

Fig. 54.



Laid with Outside Cleats.

Made of Soft Metal Sheets, connected by Double Seamed Cross Locks, always painted with Red Iron Oxide Paint and Linseed Oil, unless otherwise ordered. Also Galvanized in sheets connected by our Double Seamed Cross Locks; guaranteed not to leak nor come apart.

Shipped in rolls containing 100 square feet, 1½ pounds Galvanized Cleats and 50 lineal feet of Caps, which constitute one square. Weighing about 74 pounds; Galvanized, 90 pounds.

Tools for Applying:—1 inch Tongs, Cap Squeezers, Shears, Hammer and Mallet. Apply as indicated by the cut shown. Price of Cap Squeezers, $2.50.

Notice:—We can also furnish **"Countersunk Cap Roofing,"** which is laid with short cleats, not exposed, the cap to be fastened by a countersinking tool, which we loan or sell at $2.50.

☞We can also make the **Two-Hem Cap Roofing** with cleats not exposed, as shown by the following cuts.



WRITE FOR PRICES.

Pressed Standing Seam Roofing.

Applied in Separate Sheets. With Outside Cleats as Shown.

Fig. 55



Edges ready formed. Shipped Banded or crated.

A square consists of 50 lineal feet in separate sheets, painted and formed, 1½ pounds Galvanized Side Cleats and 1-5 pound painted End Cleats.

Tools necessary are:—Squeezers, Shears, Hammer and End Lock Turner.

Eight feet sheets always sent unless otherwise ordered.

OUR BEADED STANDING SEAM ROOFING.



Is the same as the above style, but has two beads between standing seams to stiffen the sheet. Price, 10 cents per square extra.

WRITE FOR PRICES.

Dover Continuous Tin Roofing.

Shipped in Rolls.

PROCESS.

After the sheets are prepared in the Pickle House, they are washed in three Alkali waters, which thoroughly eliminates every particle of acid. They are then passed **singly through the first tinning pot,** thence to the edging and shearing device, are squared and joined together, then to a second tinning pot which **thoroughly solders all of the contact faces of the seam,** which insures an absolutely perfect joint or seam, then they pass through the dusting box, dusting brushes and under a square shear which cuts them to the proper length.

The sheets are subjected to **three baths of Palm Oil,** which insures a perfect coating. The sheets are 96″ long before joining into strips, and have proven, by practical demonstration, to have less contraction and expansion (owing to less seam) than smaller sheets. The courses or strips are perfectly straight, and are ready to lay on the roof.

SIZES.

It is made in three sizes, 14″, 20″ and 28″ wide, each strip of 20″ and 28″ contains 100 square feet surface. 14″ contains 50 square feet to each strip, and is packed two strips in each roll.

QUALITIES.

It is made in I. C. and I. X. thickness.

1st Quality—Dover Old Method, containing 45 lb., coating equal to 20 x 28″ sizes
2nd " " Extra " 25 " " " " 20 x 28″ "
3rd " " Worcester grade, " 12 " " " " 20 x 28″ "

It is Painted on one side, if desired, with pure Metallic Paint and Linseed Oil. No light weights nor low grades.

PRICE LIST.

Dover, 12 lb. Coating—20 x 28 Size.

I. C. 20 in. and 28 in. wide—Not Painted—per 100 square feet or roll, $.....
I. C. 14 " " " " " 100 " " " .....
I. X. add " 100 " " " .....

Dover Extra, 25 lb. Coating—20 x 28 Size.

I. C. 20 in. and 28 in. wide—Not Painted—per 100 square feet or roll, $.....
I. C. 14 " " " " " 100 " " " .....
I. X. add " 100 " " " .....

Dover Old Method, 45 lb. Coating—20 x 28 Size.

I. C. 20 in. and 28 in wide—Not Painted—per 100 square feet or roll, $.....
I. C. 14 " " " " " 100 " " " .....
I. X. add " 100 " " " .....

Painted one side, with Metallic Paint in Linseed Oil, 10 cts. per 100 sq. ft. extra.

WRITE FOR PRICES.

Cushman Patent Shingles.

For Roofs Having One-Fourth Pitch or More.

Beautiful in Appearance When Applied.



Side Lap 1½ in. and End Lap 2 in. allowed, only the Covering Size charged for.

Shipped in Boxes containing 1 square each, as follows; 14 x 20 in. size, 64 shingles—10 x 14 size, 140 shingles,

7 x 10 Gable size, 320 shingles. No part boxes shipped.

Price List Per Square.

28 Gauge Steel Painted.	Galvanized Painted.	Not Painted.	IX Terne Tin Painted.	Copper.
14 x 20, $5.75.	$7.75.	$7.50.	$7.75.	10 oz., $ .....
10 x 14, 6.00.	8.25.	8.00.	8.25.	12 oz., ...
7 x 10, 7.00.	9.25.	9.00.	9.25.	14 oz., ...

Instructions—Commence at lower right-hand corner; project 1 inch at side and lower end; nail flange close to seam 2 inches above lower end; secure upper end in same way; bend down side projection, nail to end of board with next shingle; hook the flange into opening of standing fold; slip into position and nail through flange same as first shingle. Commence second course with half of a shingle; lap same 1¾ inches over first shingle of first course and proceed as before. Flash gutters and valleys same as with ordinary shingles.

WRITE FOR DISCOUNTS.

EASTLAKE SHINGLES.

Embossed with nine Figures or Slates in Each Sheet.



Made in Black Steel Painted, Tin Plate and Copper.
Size of sheet, 17½ x 26 inches, 32 sheets to the square.
Starters or Eaves Courses furnished.

GOTHIC TILE.—Patented April 12, 1892.



For use on Mansards, Towers, and Spires with hips, Bay Windows, Porches etc., and for Siding Queen Ann Cottages, Gables, Belt Courses, etc.

Each Tile covers 6x6 inches, 400 tiles to one square. Can be made only of Copper or extra quality of Steel or Tin.

WRITE FOR PRICES.

Cluster Slate Roofing.

Fig. 57.



Covering width, 2 feet. Sizes of sheets, 24¾ inches by 61 inches, and 24¾ inches by 121 inches.

Made of pure steel, gauge 28.

Ten 5-foot sheets, or five 10 foot sheets cover a square.

Apply by Pressed Standing Seam Plan, or the two Hem Cap Style, as shown under Fig. 54, page 7.

LIST PRICES.

Per Square.

No. 28 Steel, Painted Red, weight 74 pounds..... $.....

No. 28 Galvanized, not painted, weight 90 pounds..... .....

Cluster Shingle Siding.

Imitates Wood (Dimension) Shingles.

Fig. 5 A.



Size of sheets, 24x60 inches.

10 sheets cover one square.

To be laid with lapped edge.

Fig. 57B.



LIST PRICES.

Per Square.

No. 28 Steel, Painted red weight 74 pounds..... $.....

No. 28 Galvanized, not painted, weight 90 pounds..... .....

WRITE FOR PRICES.

Neponset Roofing Fabric.

Guaranteed to Last Several Years. The Best Cheap Roofing Known.

Always in Stock for Prompt Shipment.



Oderless, Clean to Handle, No Waste. Absolutely Waterproof and Air Tight.

ALWAYS SATISFACTORY. NEVER COMPLAINED OF.

We are Manufacturers' agents for this material, and can furnish it to parties wanting cheap roofing, including suitable nails and caps, at manufacturers' prices. No expansion or contraction; no odor, does not get out of repair nor leak. Lighter and more durable than any other cheap roofing. It is chemically treated, heavy, strong and paper guaranteed free from coal tar.

When laid according to our instructions, will last several years. Requires no pitch or gravel. Can be applied by any one with a hammer and pocket knife.

Two-ply is generally used, and far better than one ply, though the Black Neponset Sheathing Paper may be used for under-ply with the Red Rope Roofing Fabric for the upper-ply. When laid it should be painted. Many parties use but one-ply. Any good paint may be used.

Write for sample, price and special circular on Neponset Roofing.

This Fabric is universally known as the best Poultry Paper in use.

PRICES.

Per Roll, 500 square feet including Nails and Tin Caps.....$5.00

Per Roll, 250 square feet including Nails and Tin Caps..... 2.50

☞Neponset Roofing circular and directions for applying mailed on application.

WRITE FOR PRICES.

Roof Lining.

We keep four different kinds best for this purpose, always satisfactory.

DRY ROSIN SIZED GREY FELT.

Largely used by builders for warmth, dryness, to deaden sound and absorb condensation. In rolls, containing 600 square feet, $1.00 per roll.

Red Rosin Size felt, 600 feet per roll.....70 cents.

MACHINE WAXED SHEATHING PAPER.

Strong waterproof, odorless, clean to handle, retains its moisture, does not become dry or brittle, and is an excellent article. In rolls containing 500 square feet, $1.50 per Roll.

NEPONSET WATERPROOF SHEATHING PAPER

Is superior in quality, cheaper, stronger and far more durable than felt, and not affected by changes of the atmosphere. 500 foot Rolls, $1.75 per Roll; 250 foot Rolls, 90 cents per Roll, net.

Such papers protect the paint on underside of roofs, and deaden sound.

It is advisable to use lining paper under nearly **all roofs**, whether steel, iron, slate or shingle, as it is a non-conductor of heat and cold, and makes buildings, **cooler in summer and warmer in winter.**

It prevents condensation and dampness, and makes buildings more dry and healthy.

It should be used on dwellings, churches and grist mills, or wherever gas, steam, sulphur, heat and other injurious substances exist.

Such papers are used extensively under siding of all kinds, and between floors in many buildings. They are always satisfactory, and not expensive.

Tarred Felt should never be used under Metal Roofs.

SLATER'S WATERPROOF FELT.

For lining Slate Roofs, price per Roll 600 feet, $1.00.

We can also furnish Asbestos Sheathing Papers.

WRITE FOR PRICES.

Iron Oxide Paint.==Dry.

Bright Red and Prince Brown.



We Guarantee our Dry Paints equal to any in the market, and free from clay, lime and sand, and to be ground extra fine by machinery of the latest and most improved construction.

These paints are fire-proof and guaranteed not to crack, scale, fade nor peel.

Very cheap, and largely used on iron, tin, wood, stone and brick.

Prepared for the Trade in two forms.

1st. **Paste Form,** ground thick in Boiled Linseed Oil.

2nd. **Ready Mixed,** with Pure Boiled Linseed Oil ready for the brush.

PRICE LIST.—Dry.

	Red.	Prince Brown
100 lbs., Kegs	1½ cents per pound.	2 cents per pound.
Barrels	1¼ cents per pound.	1⅔ cents per pound.
In Ton lots	1 cent per pound.	1½ cents per pound.

Discount.....per cent.

IN PASTE FORM AND READY MIXED.

In Strong, Impervious Kits.

COLORS: RED AND PRINCE BROWN.

No Charge for Package.

Paste Form.	Red. Per. Lb.
10 pounds	6 cts.
25 pounds	5½ "
50 pounds	5¼ "
100 pounds	5 "
Barrels	4 "

Prince Brown color, ½ cent higher.

Discount.....per cent.

Ready Mixed.	Red Per Gal.
1 gallon Kits	$1.00
2 and 3 gallon Kits	.90 cents.
10 and 20 gallon Kits	.85 cents.
Barrels	.75 cents.

Prince Brown color, 10 cents per gal. higher.

Discount.....per cent.

WRITE FOR DISCOUNTS.

Air Floated Graphite Paint.

The Best Anti-Rust Solution.
Guaranteed not to Settle in the Bucket.

A Substantial Coating for Roofs, Bridges, Steam Pipes, Machinery, Cars, Vessels, Brick and Wood.

Not effected by Creosote, Soot, Gases, Salt Water nor Alkalies.

This Paint, as now made by us, **Preserves** Metallic Roofs and other surfaces much **Longer,** when properly applied, than other Paints.

Graphite is light in weight and greatly more bulky than Oxide or White Lead, and for this reason covers more surface, and more than overcomes difference in price of Cheap Paints. It is more durable.

It does not Settle, Rust, Crack, Flake nor Peel. Does not hold dirt like other dark colors. The color is a rich dark slate.

We Furnish Only Best Quality, No Substitute or Cheap Stuff.

DIRECTIONS FOR USING GRAPHITE PAINT.

For the Ready Mixed—Stir Thoroughly and Apply.

For Paste, thin in small quantities, with about twice its bulk in Boiled Linseed Oil and Dryer, to make it spread freely, clean the surface from scale, dirt and dust. Stir well before using and frequently during use, to keep the solution uniform. Spread evenly, and allow same to dry thoroughly before applying the second coat.

☞**Covering Capacity.** One gallon Ready Mixed will cover from 600 to 800 feet of metal or wood surface, according to smoothness.

Ten pounds of the Paste thinned with Linseed Oil will cover 1000 sq. feet.

PRICE LIST.

IN PASTE FORM		READY MIXED.	
10 pounds	18 cts. per pound.	1 Gallon Kits	$1.50 per gallon.
25 pounds	16½ cts. per pound.	2 and 3 Gallon Kits	1.25 per gallon.
50 pounds	15 cts. per pound.	5 and 10 Gallon Kits	1.20 per gallon.
100 pounds	13½ cts. per pound.	Barrels and ½ Barrels	1.10 per gallon.
500 to 600 pound Barrels	12 cts. per pound.	No charge for package.	

Discount.....per cent.

WRITE FOR DISCOUNTS

Opinion of Graphite Paint

From Report of the Society of American Engineers.

"The fact that **Graphite is impervious to the action of heat** or cold, or any known chemical, makes it **peculiarly suited for outside painting.** Several members of the convention spoke of the very **satisfactory results attained in using Graphite Paint.** Instances were mentioned where roofs painted with Graphite Paint had not required re-painting in from **twelve to eighteen years.** One member said: "My experience with sheet metal roofs has led me to believe that **Graphite Paint is really the best for wearing.** I know we painted a roof **twelve years ago;** I see it every day from my window, and from appearances **it does not need anything more for five to ten years to come.'** "



Prices—4½ inch Flat, 50 cents; 3 Knot, $1.50; 4 Knot, $1.75, each net.

PURCELL'S ORIGINAL ELASTIC ROOF CEMENT.

Guaranteed the Best in Use. Tested Sixty Years.



For pointing up and preventing leaks in metallic roofs, flashing chimneys, copings, skylights, gutters, cupolas, dormer windows, slate, stone, brick and wood. Very adhesive and sticks to anything. **Will Not Crack** in summer nor winter. Easily applied with knife or trowel. More reliable than solder, and largely used.

The Purcell Cement has been in use for the past 60 years, and is known to be the most reliable composition for the purpose intended. All who have tried it use no other. The market is flooded with inferior goods in this line, as in others. Buyers should use only what has proven to be most satisfactory

PRICES.

Purcell's Cement.

6¼ pound Boxes.....	$ .65
12½ Pound Boxes.....	1.30
100 pound Cases.....	6.75

Discount.....per cent.

WRITE FOR DISCOUNTS.

Corrugated Sheets.

We guarantee our Corrugated Sheets to be of U. S. Standard Gauge of uniform corrugations, and free from holes and imperfections.

The black sheets are painted on both sides, by machine and brush, with improved Iron Oxide Paint manufactured by ourselves, and guaranteed the best.

We make five sizes of corrugations formed by an Improved Press machine. The pressed formations make better fitting laps, the sheets are the same in width at both ends and will line up uniformly straight and lap closer than sheets corrugated by rolls.

Corrugated roofs are stronger and less liable to leak when one and one-half or two corrugations are used for side lap.

Covering width of sheets is two feet when one corrugate is used for side lap.

STANDARD SIZES OF SHEETS KEPT IN STOCK.

6, 7, 8, 9 and 10 feet long of Gauge No. 28.

Nos. 26, 24, 22, 20, 18 and 16 Gauge sheets made to order on short notice

When sheets of other than standard lengths are wanted, we ship the next greater standard length sheets, and charge for full length, unless about two weeks' time is allowed us to make sheets to exact length wanted.

We always ship sheets of 8 feet lengths, of No. 28 gauge, when length and gauge wanted is not specified in the order.

The covering width of sheets is 2 feet; whole width 26 inches, except for the 1¼ and ⅝ inch Corrugated sheets, whole width of which is 25 inches, though they contain same amount of material as the 26 inch sheets, and cover 24 inches.

Full length and width of corrugated sheets is charged for. No allowance for laps.

HOW TO ORDER CORRUGATED SHEETS.

Use our **Order Blank**, fill out diagram according to instructions.

State whether Painted or Galvanized Sheets are wanted.

Estimate the number of rows of sheets the number of sheets in each row, and the length of sheets for each row necessary to provide end lap.

☞Remember the covering width of all sheets is 2 feet.

☞Specify by the name and Fig. Number given in this catalogue.

☞We will make estimates and quote on enough Roofing and Siding to cover an Elevator or other buildings complete, on receipt of plans or drawings giving dimensions and specifications of all details.

☞For U. S. Standard Gauge, number of feet in a sheet, number of feet required to lay a square, and rules of measurement, see page 22 and Index.

WRITE FOR PRICES.

Corrugated Roofing and Siding.

Fig. 12.



Shows application of three-inch heavy gauge corrugated roof, with Ridge Roll in place on either wood or metallic frame. The Siding represented is of two-inch corrugation, and may be of lighter material than is used for the roof.

Light gauges should be laid on Sheeting Boards, instead of lath or rafters.

For information as to distance between supports, write us.

SIDE LAP FOR CORRUGATED ROOF.

Fig. 6.

For roofing, we recommend that one and one-half corrugates be used for side lap.

When laid this way the covering of sheet will be ½ corrugate less.

The width required for their lap is not kept in stock, but must be made to order.

Each alternate sheet can be turned upside down and applied like Fig. 6, with same result. When one corrugate only is used for side lap the roof may leak.

Use three to six inches, according to pitch, for end lap.

FOR SIDING.

Fig. 7.

When used for siding one or two inches should be used for end lap, and one corrugate for side lap, as shown in Fig. 7.

WRITE FOR PRICES.

Three Inch Corrugated Sheet.

Fig. 3.



Nine corrugations in a sheet; 3 inches from center to center.
Full width of sheet 26 inches; covering width 24 inches.

Two and One=Half Inch Corrugated Sheet.

Fig. 4½.



Ten corrugations in a sheet.
Whole width of sheets 26 inches; covering width 24 inches in all instances.

Two=Inch Corrugated Sheet.

Fig. 4.



Thirteen corrugations in a sheet.
Sheets 26 inches wide; covering width 24 inches.

WRITE FOR PRICES.

One and One-Quarter Inch Corrugated Sheet.

Fig. 5.



Length 6, 7, 8, 9 and 10 Feet.

Twenty corrugations in a sheet, 1¼ inches center to center. Full width, 25 inches; covering width, 24 inches, when one corrugate is used for side lap.

This is nice for ceilings, and is much used for siding and roofing.

When for roofing use two corrugates for side lap.

☞We also make ⅝ inch size corrugation to order.

Elevator Siding.

Regular size of sheets, 26 inches wide by 32 inches long.
Each sheet covers, applied with one corrugation for side lap, 24 inches.

Fig. 12½.



Fig. 12½ represents our Corrugated Elevator Siding with 2 inch corrugations. When applying, lap end of sheet. Drive a nail in the trough of each alternate corrugation 1 inch above the upper end of the lower sheet, to allow for settling, as shows in the cut above. We recommend the use of one and one half corrugates for side laps, not nailed, as this will allow the sheet to slide as the building settles, and cause each sheet to act independently and prevent springing and drawing of nails. Price, 10 cents net per square higher than for long sheets.

WRITE FOR PRICES.

Number of Square Feet

IN SHEETS OF STANDARD LENGTH.

6 foot sheet, 13 sq. feet, 2 foot covering width, selling width 26 inches.
7 foot sheet, 15⅙ sq. feet, 2 foot covering width, selling width 26 inches.
8 foot sheet, 17⅓ sq feet, 2 foot covering width, selling width 26 inches.
9 foot sheet, 19½ sq. feet, 2 foot covering width, selling width 26 inches.
10 foot sheet, 21⅔ sq. feet, 2 foot covering width, selling width 26 inches.

On 1¼ inch or small Corrugate Sheet, figure as follows:

6 foot sheet, 12½ sq. feet, 2 foot covering width, selling width 25 inches.
7 foot sheet, 14 7-12 sq. feet, 2 foot covering width, selling width 25 inches.
8 foot sheet, 16⅔ sq. feet, 2 foot covering width, selling width 25 inches.

Number of Square Feet Required to Cover One Square When Laid.

With Sheets having 2, 2½ or 3 inch Size Corrugations.

The following table gives the number of square feet necessary to cover complete one square of surface, when 8 foot sheets are used.

When longer or shorter sheets are used, the number of square feet will vary slightly.

END LAP.	1 inch.	2 inches.	3 inches.	4 inches.	5 inches.	6 inches.
1 Corrugates Side Lap.....	110 sq. ft.	111 sq. ft.	112 sq. ft.	113 sq. ft.	114 sq. ft.	115 sq ft.
1½ Corrugates Side Lap.....	116 "	117 "	118 "	119 "	120 "	121 "
2 Corrugates Side Lap.....	123 "	124 "	125 "	126 "	127 "	128 "

For Sheets Having 1¼ Inch Corrugation.

END LAP.	1 inch.	2 inches.	3 inches.	4 inches.	5 inches.	6 inches.
1 Corrugates Side Lap.....	105⅓ sq. ft.	106⅙ sq. ft.	$107\frac{5}{12}$ sq. ft.	108⅓ sq. ft.	109 sq. ft.	$110\frac{7}{12}$ sq ft.
1½ Corrugates Side Lap.....	109 "	110 "	111 "	112⅙ "	113¾ "	115⅓ "
2 Corrugates Side Lap.....	111⅓ "	112½ "	113⅙ "	113⅔ "	115 "	$116\frac{5}{12}$ "

Half-Inch Crimp.

Fig. 8.



Fig. 9.

Figures 8 and 9 Show Full Size and End View of Crimps.

Size of crimps, ½ x ⅛ inch. Sheets of any length, No. 28 U. S. Standard Gauge, and not more than 36 inches wide, crimped crossways. Used for Ceilings, Stilings, Friezes, etc. Specify width and length wanted.

Three-Sixteenths Inch Crimped Iron.

Fig. 10



Fig. 11.

Figures 10 and 11 Show Full Size and End View of Crimps.

We crimp gauges 24 and lighter, and guarantee the sheets to be more level than can be obtained elsewhere. Give us a trial and be convinced

Size of Crimps, 3-16 x 1-16 inch. Sheets of any length crimped crossways up to 36 inches wide by any length not exceeding 10 feet.

Used for Cornice, Stilings, Borders, Friezes, Window and Door Case Coverings, Ceilings, Panels, Mouldings, etc. Nice in appearance

The crimping makes the sheets about three gauges stiffer, and takes out buckles and waves, and give the appearance of dressed stone. It can be bent after crimping to any angle without breaking material.

☞Our machine will crimp 24 Gauge and lighter satisfactorily. Sheets 36 inches wide and narrower of Black or Galvanized Steel, Tin, Zinc and Copper.

WRITE FOR PRICES.

Curved Corrugated Iron.

Fig. 20.



Two and three inch size of corrugation curved to any radius specified.

CURVED FOR CEILINGS AND ARCHES.

Fig. 21.



When ordering, follow instructions in our order sheet, showing how to order, and state size of corrugations wanted and radius or rise of arch.

PRICE LIST.

CORRUGATED ROOFING AND SIDING, PRESSED.

2, 2½, and 3 Inch Size Corrugations.

Painted.	Per Square.	Galvanized, not Painted.	Per Square.
No. 28 Gauge	$	No. 28 Gauge	$
No. 26 "		No. 26 "	
No. 24 "		No. 24 "	
No. 22 "		No. 22 "	
No. 20 "		No. 20 "	
No. 18 "		No. 18 "	
No. 16 "		No. 16 "	

3 16, ½ ⅝ and 1 ¼ inch and Cross Corrugated, 10 cents per square net extra.

Prices for Curved Corrugated quoted on receipt of specifications and vary according to length of sheets and radius wanted.

WRITE FOR PRICES.

Corrugated Curved Awnings.

Fig. 22.



Single Curved Awning, Supported by Posts and Frame.

Furnished either with or without Iron Frames, as wanted.

Price on Awning, complete, quoted on receipt of specifications giving dimensions and heighth of Posts wanted.

Fig. 22½.



Double Curved Awning, Supported by Brace and Frame.

Furnished either with or without Iron Bracket Support, as specified.

Price on Awning, complete, quoted on receipt of specifications giving dimensions.

WRITE FOR PRICES.

Corrugated Ridge Roll.

Fig. 24 B.



Corrugated V Capping.

Fig. 24 C.



Corrugations 2, 2½ and 3 inches. Regular lengths cover 2 feet.

Fig. 24 B, Painted, per foot.....20 cents.
Fig. 24 B, Galvanized.....28 cents.
Fig. 24 C, Painted, per foot.....16 cents.
Fig. 24 C, Galvanized.....22 cents.

Discount.....per cent.

Plain Ridge Roll.

Fig. 26.

Plain V Capping.

Fig. 27.

For Corrugated and Crimped Roofing.

1½ inch size, Painted, per foot..... 6 cents.
2 inch size, Painted, per foot..... 7 cents.
2½ inch size, Painted, per foot..... 9 cents.
3 inch size, Painted, per foot.....11 cents.
6 inch girt, Painted..... 4 cents.
8 inch girt, Painted..... 5 cents.
Made in 10 foot lengths.

Discount.....per cent.

Corrugated Wood Ridge Joint.

Fig. 28.



To be used under ridge roll for perfect fitting and tight joints on ridges and hips, when one piece corrugated ridge roll is used. Is flat on one side and corrugated on the other.

Made for 3, 2 and 1¼ inches corrugations. Price, per foot, 3 cents, net.

Corrugated Side Wall Flashing.

Fig. 24.

Corrugated End Wall Flashing.

Fig. 24 A.



In 10 foot lengths, to fit 3, 2 and 1¼ inch corrugations.

Painted, per foot.....18 cents.
Galvanized, per foot.....25 cents.
Discount.....per cent.

Painted, per foot.....18 cents.
Galvanized, per foot.....25 cents.
Discount.....per cent.

WRITE FOR DISCOUNTS.

Plain Cornice.



No. 800.

	Painted.	Galvanized.
24 inch Girt, per lineal foot	$ .18	$ .24
26 inch Girt, per lineal foot	.19½	.26
28 inch Girt, per lineal foot	.21	.28
30 inch Girt, per lineal foot	.23	.30

Discount.....per cent.

Window and Door Casings.

No. 801.

No. 802.

No. 803.

Sills for Windows and Doors.

No. 801.

	Painted.	Galvanized.
9 inch Girt, per lineal foot	$ .07	$ .09
10 inch Girt, per lineal foot	.07½	.10
12 inch Girt, per lineal foot	.09	.12

Casings and Caps for Windows.

Nos. 802 and 803.

	Painted.	Galvanized.
3 inch Face, 10 inch Girt, per lineal foot	$ .07½	$ .10
4 inch Face, 11 inch Girt, per lineal foot	.08½	.11
5 inch Face, 12 inch Girt, per lineal foot	.09	.12

Casings and Caps for Doors.

Nos. 802 and 803.

	Painted.	Galvanized.
3 inch Face, 12 inch Girt, per lineal foot	$ .09	$ .12
4 inch Face, 13 inch Girt, per lineal foot	.10	.13
5 inch Face, 14 inch Girt, per lineal foot	.11	.14

WRITE FOR DISCOUNTS.

HIP COVERING.

Fig. 31.



VALLEY IN CORRUGATED ROOF.

Fig. 30



Fig. 31 shows application of Ridge Roll to a hip on corrugated roof.

Fig. 30 shows Valley in corrugated roof. Lay the valley first, cut the corrugated sheets to correspond with the angle and lap over edge of valley a few inches, as shown.

FLASHING CHIMNEY AND ROUND IRON STACKS.

Fig. 33.



Fig. 34.



The cuts indicate the manner in which it is done. See our instruction sheet.

WRITE FOR PRICES.

Nails, Tin Caps and Lead Washers.



Above sizes kept in stock. Other sizes furnished promptly.
For Neponset Roofing Fabric we keep 1 and 1½ inch tin caps.
Lead Washers furnished with Corrugated Roofing when ordered.

PRICE LIST.

Nails, per square.....3 cents, net.
Per Keg—Market price, according to size.
Tin Caps, per pound.....6 cents.
Lead Washers, per Square.....5 cents, net.
Lead Washers, per pound .....20 cents, net.

Clips and Rivets.

To be used when applying Roofing to Iron Purlins. Side laps should be riveted 12 to 18 inches or oftener; end laps in each alternate corrugation.



Fig. A.



Fig. B.



Fig. C.

Cuts A, B and C. show various methods for fastening Sheets to Iron Frame.

One and one-half corrugation side lap is advisable when a strong and tight covering is wanted.

Rivet at both ends as shown, then press clips toward the web of purlins or beams, to tighten, and provide for maximum contraction and expansion.

Price of Clips, including Rivets, per square, 15 to 25 cents, net, according to size and style wanted.

WRITE FOR PRICES.

Crimped Edge Sheets.

Fig. 13.



Much Used for Roofing and Siding, and Easily Applied on Factories, Barns, Sheds, Etc.

Sheets kept in stock No. 28 U. S. Standard Gauge, 6, 7, 8, 9 and 10 feet long, from which shorter ones may be cut. Heavier gauge sheets furnished on short notice.

Covering width 2 feet, after lapping one crimp, which we allow.

On roofing, lap 3 inches or more according to pitch. On siding, lap 1 or 2 inches.

Should be nailed as shown by Fig. 14 over wooden strips, which we furnish at cost.

Fig. 14.



Another way, shown by Fig. 14, is to cut and turn a hem at ends; requires same amount of material as when 3 inches is lapped, and is better and nicer.

Tools for turning ends, 50 cents.

LIST PRICES.

No. 28 Painted.....Per Square $.....
No. 28 Galvanized.....Per Square $.....

WRITE FOR PRICES

Three Crimp Sheets.

Fig. 15.



Sheets kept in stock No. 28 U. S. Standard Gauge, 6, 7, 8, 9 and 10 feet long, from which shorter ones may be cut; covering width 2 feet, side lap allowed

The center crimp stiffens the sheet, prevents vibration and rattle, and adds to its appearance; imitating batten boards. Apply in the same manner as the crimped edge sheets.

PRICE LIST.

No. 28 Painted.....Per Square, $.....
No. 28 Galvanized..... " " .....

Beaded Sheets.

Fig. 16.

Nine Beads and Eight Spaces in Sheet.

Sheets of same length, gauge and quality as for crimped edge. Covering width 2 feet, after using one bead for side lap, which is allowed.

Beaded iron is very nice for siding and ceiling; imitates three inch board. The beads are ½ inch wide, three inches from center to center.

Can be applied perpendicular or horizontally to boards, or cross lath set the proper distance apart, or over plastered ceilings.

PRICE LIST.

No. 28 Painted.....Per Square, $.....
No. 28 Galvanized..... " " .....

WRITE FOR PRICES.

Weather=Board Siding.

Fig. 17.



Covering Width 2 Feet.

Is made from any sheets of stock lengths, not exceeding 10 feet. Is a perfect imitation of weather-boarding or clap-boards. It is advisable to order sheets in lengths to suit distance from center to center of studding to avoid waste.

When odd lengths are necessary, 10 days or 2 weeks must be allowed to make the sheets, unless Standard lengths are cut, in which case the waste is charged for.

PRICE LIST.

No. 28 Painted.....Per Square, $.....

No. 28 Galvanized..... Per Square, $.....

How Shipped.

All Corrugated, Beaded, Crimped and Weather-Board Sheets are shipped in crates or bands when less than a car load.

Car load lots are shipped without crates.

Corner Covering.

Fig. 24.

Showing Metal Corner Covering, Which Should Always be Used With Metal Weather-Boarding.

Made in 10 foot lengths. Greatly improves appearance of buildings covered with Corrugated, Crimped and Beaded Sheets.

PRICE LIST.

No. 28 Painted..... ..... 5 cents Square Foot

No. 28 Galvanized..... .. ....7 cents Square Foot

Discount.....per cent

WRITE FOR PRICES.

Pressed Brick Siding.

Made of Soft Steel.

Fig. 18.



Latest style. Is very nice. Much used for Siding.
Size of Brick, 2⅛x8¼. Sheets 24x60 inches, containing 10 square ft. each.
10 sheets cover one square. Side and end laps not charged for.
Apply on dry sheeting boards.

PRICE LIST.

No. 28 Painted.....Per Square, $.....
No. 28 Galvanized..... " " .....

Rock Face Brick Siding.

Fig. 70.



Sheets 24x60 inches. Size of each Brick, 2 11-16x8¼ inches.
10 sheets will cover a square. Side and end laps not charged for.

PRICE LIST.

No. 28 Painted.....Per Square, $.....
No. 28 Galvanized..... " " .....

WRITE FORR PICES.

Rock Face Stone Siding.

Fig. 71

Size of Stone, 6x15 inches. Sheets 24x60 inches, containing 10 sq. ft. each. 10 sheets will cover a square. Side and end laps not charged for.

PRICE LIST.

No. 28 Painted.....Per Square, $.....
No. 28 Galvanized..... " " .....

Fig. 72.



Size of Stone, 8x20 inches. Sheets 24x60 inches, containing 10 sq. ft. each. 10 sheets will cover a square. Side and end laps not charged for.

PRICE LIST.

No. 28 Painted..... .....Per Square, $.....
No. 28 Galvanized..... ..... " " .....

WRITE FOR PRICES.

Rock=Face Stone Siding.

Random Ashlar.

Fig. 73.



Size of sheets 24 x 60 inches containing 10 square feet each; 10 sheets will cover a square. Side and end laps not charged for.

PRICE LIST.

No. 28 Painted.....Per Square, $.....

No. 28 Galvanized .....Per Square, $.....

Fig. 74.



Size of stone 6 inches square, sheets 24 x 60 inches; 10 sheets will cover a square. Side and end lap not charged for.

PRICE LIST.

No. 28 Painted.....Per Square, $.....

No. 28 Galvanized.....Per Square, $.....

WRITE FOR PRICES.

Rock Faced Stone Siding.

No. 75.



Size of Stone, 6 inches square. Sheets, 24 x 60 inches: 10 sheets will cover a square. Side and end lap not charged for.

Used mostly for trimming in combination with other styles.

PRICE LIST.

No. 28 Painted.....Per Square, $.....

No. 28 Galvanized .....Per Square, $.....

WRITE FOR PRICES.

Directions For Applying Brick and Stone Siding.

1st. With spirit level and chalk line get the level of your building entirely around its base or top and strike a line corresponding thereto.

2nd. Place a full sheet of siding at one corner of the building, allowing the end to extend two or more feet past the corner so that the cross grooves are immediately over the corner, the lower edge of the sheets resting on the chalk line.

3rd. Nail the sheet fast to the wall through the grooves sufficiently to hold it fast and to bring it down solid all the way along. Begin at the middle of the sheet to nail and work towards ends and sides, putting nails two or three bricks apart. Never nail through the brick.

4th. Bend the projecting two feet around the corner (if projects) with the hands, or with a piece of board, using a mallet slightly to bring down any uneven places.

5th. Lay around the building until you meet the commencement. Place the first sheet of the second tier over the first so as to break joints perfectly as in brick work, letting the half groove at the bottom of the sheet lap over the first and fit closely in the half groove at the top of the first sheet.

6th. Window and door frames should not be put in until after the siding is on. But in case the frames are in, the Metal Siding may be applied and faced at doors and windows the same as for wood siding.

7th. At the windows and doors cut the sheets about three inches above the bottom sill, and the same distance from the side; then cut from the corner thus formed obliquely to the corner of the window or door space; bend the metal with the hands down upon the window sill and around the side of the studding, and nail it fast. The window frames fit in over these laps and show a complete brick finish.

Corner Finish.

Fig. 54.



Each Face, 13 inches wide.

Pilasters.

For Plain Brick Siding.

Fig. 54A.



Face, 13 inches wide.

FOR ROCK-FACED SIDING.

Fig. 55.



Each Face, 13 inches wide.

Fig. 55A.



Face, 13 inches wide.

Price of Pilasters based on 4 inch projection, any other specified projection quoted on application.

For Price List see page 38.

Corner Finish Pilaster.

For Rock-Faced Stone Siding.

Fig. 56.



Fig 56 A.



PRICE LIST—Per Lineal Foot.

Corner Finish.	Painted.	Galvanized.	Pilasters.	Painted.	Galvanized.
Fig. 54, 13″ Face	16 cents.	24 cents.	Fig. 54A, 13″ Face	9 cents.	14 cents.
Fig. 55, 13″ Face	18 cents.	26 cents.	Fig. 55A, 13″ Face	12 cents.	18 cents.
Fig. 56, 15″ Face	22 cents.	30 cents.	Fig. 56A, 15″ Face	15 cents.	22 cents.
Fig. 56, 12″ Face	18 cents.	26 cents.	Fig. 56A, 13″ Face	13 cents.	20 cents.
			Fig. 56A, 12″ Face	12 cents.	18 cents.
			Fig. 56A, 10″ Face	10 cents.	15 cents.
Discount		per cent.	Fig. 56A, 8″ Face	8 cents.	12 cents.

Continuous Pattern Rock-Faced Stone.

For Window Sills, Caps and Belt Courses.

Made any length wanted up to 10 feet.

Fig. 56 B.

PRICE LIST—Net.

6 inches wide Painted Steel	4½ cents.	Galvanized	6 cents
8 inches wide Painted Steel	6 cents.	Galvanized	8 cents.
10 inches wide Painted Steel	7½ cents.	Galvanized	10 cents.
12 inches wide Painted Steel	9 cents.	Galvanized	12 cents.

When applying Corner Finish, Pilasters, also Corner Stone for Sills, use wood backing corresponding in size to width of face projection.

WRITE FOR DISCOUNTS.

Rock=Face Window and Door Caps and Sills.



No. 120.
Face 8 inches, Each, $2.50.

No. 121
Face 8 inches, each, $3.00.

No. 122.
Face 6 inches, each, $0.75

No. 123.
Face 8 inches, each, $1.00.

Bay Window.

Made of Galvanized or Copper.



No. 900.

☞ Any other style made to order from drawings.
Price according to size and style.

WRITE FOR PRICES.

Building Fronts.

Made of Galvanized or Copper.



No. 58.—20 ft. wide.

Price { Galv. work only with Galv. columns } $100 00

Price { Including cast iron sill and cast iron cols. } $200 00.



No. 60.—20 ft. wide.

Price { Galv. work only with Galv. columns } $100 00

Price { Including cast iron sill and cast iron cols. } $190.00.

Cast Iron Columns 13 inches & 6 inches wide, 13 ft. long.



No. 61.—20 ft. wide.

Price { Galv. work only with Galv. columns } $175.00.

Price { Including cast iron sill and cast iron cols. } $325.00.



No. 62.—20 ft. wide.

Price { Galv. work only with Galv. columns } $115.00.

Price, with cast iron sill, $160.00.

Discount .....per cent.

Prices for Galvanized work only include Galvanized Columns to imitate Cast Iron. Prices including Cast Iron Columns, also include a Cast Iron Floor Sill Course, 10 inches wide, full width of building.

WRITE FOR PRICES.



No. 63—20 ft. wide.

Price { Ga vanized work only, with Galv. columns.... } $315.00.

Price { Including cast iron sill and cast iron cols , } $425.00.



No. 64—20 ft. wide.

Price { Galvanized work only, with Galv. columns.... } $275.00.

Price { Including cast iron sill and cast iron cols., } $440.00.



No. 65—20 ft. wide.

Price { Galvanized work only, with Galv. columns.... } $125.00.

Price { Including cast iron sill and cast iron cols., } $235.00.



No. 66—20 ft. wide.

Price { Galvanized work only, with Galv. columns.... } $150.00.

Price { Including cast iron sill and cast iron cols., } $325.00.

Discount.....per cent.

WRITE FOR PRICES.

Random Ashlar Building Front.

Made of Galvanized or Copper.



No. 67.—40 ft. wide.

		In Copper.
Price { Galvanized Work only with Galvanized columns }	..... $450.00.	.....
Price { Including Cast Iron Sill and Cast Iron columns }	..... $700.00.	.....

Discount..... .....per cent.

WRITE FOR PRICES.

Fire-Proof Shutters and Doors with Fastenings.

No. 37.



Made of ⅞ inch tongued and grooved well seasoned white pine, battened with 3-16 inch band iron sunken flush with surface, all of which is then covered with beaded sheets or bright tin as wanted. When made to fit into window and door openings, they are provided with a 1 inch flange all around, and when constructed in accordance with underwriter's specifications, can be made to lap on face of wall as required.

When made of two thicknesses of well seasoned white pine, one thickness is applied diagonally to the other to stiffen, and then covered with sheet metal. When made to fit into window or door openings, are provided with a 1 inch flange to cover joints, or made without flange to lap on face of wall as desired. This style when covered with bright tin, with all seams securely locked and malleted down, makes the best known protection against fire, and when made to lap, the face of the wall conforms strictly with underwriter's specifications.

PRICE LIST.

Per Square Foot.

Made with one thickness of wood covered. 35c
With two thicknesses of wood covered.... 40c

When covered with bright tin, add 3c to list prices. When covered with Galvanized, same price as when covered with tin.

Discount.....per cent.

No. 38.

Furnished with or without channel frame as desired.

Made of Steel plate, No. 20 to No. 8 Gauge, stiffened with our patent Riveted Special Channel Steel Frame, which is lighter and stiffer than bar iron frame.

When ordered to be without frame, price will be lower accordingly.

☞When ordering, accurate specifications and dimensions must be furnished as indicated by diagrams. This is of great importance both to the buyer and to us.

PRICE LIST.

No. 14 Gauge with frame.....45 cts. per sq. ft.
No. 12 Gauge with frame .....50 cts. per sq. ft.

Discount.....per cent.

☞Cut No 38 shows our old style Border. For new or channel style, see No. 40.

SHUTTER HINGE EYES.

No. 49.



No. 50.



FOR BRICK OR STONE.

Price, 25 cents each net.

No. 52.

FOR WOOD.

Price, 20 cents each, net.

No. 52A.

FOR WOOD CASING.

Price, 20 cents each, net.

WRITE FOR PRICES.

Corrugated Shutters and Doors.

Cheap, Strong and Good.

No. 39.



Made of No. 18 guage and lighter, stiffened with our patent riveted channel steel frame, solid at corners, making the lightest, strongest and best constructed shutter in the market. For our new style or channel steel frame, see No. 40.

PRICE LIST—Per Square Foot.

		Galv.
No. 18 Gauge with channel frame	35 cts.	38 cts.
" 20 " " " "	33 cts.	35 cts.
" 22 " " " "	30 cts.	33 cts.

Discount.....per cent.

No. 40.

Patent Applied For.



Channel Steel Frame with Solid Corners.

The advantages of this kind of frame are that it combines minimum lightness with the greatest stiffness, and the corners having a tightly fitted malleable piece, double-riveted, provides as great strength as welded iron frames; also this groove and channel frame provides for a more secure fastening of locking devise, we apply this kind of frame to all our plate and corrugated shutters, except when otherwise specified.

FOR STEEL DOORS AND SHUTTERS.

Fig. 47.

Fig. 48.



WRITE FOR PRICES.

Gauge and Weights.

The U. S. Standard Gauge, established by Congress March 3d, 1893, is the only authorized Gauge for Sheet and Plate iron and steel in the United States.

As it is not practicable to always roll the sheets to exact thickness, owing to the wear and expansion of the rolls from heat, the law provides that a variation of two and one half per cent. either way shall be allowed.

U. S. STANDARD GAUGE.

Weight Per Square Foot, Flat, Not Painted.

Gauge No.	28	27	26	24	22	20	18	16
Black, in pounds	.62½	.68¾	.75	1.00	1.25	1.50	2.00	2 50
Galvanized, in ounces	12½	13½	14½	18½	22½	26½	34½	42½

APPROXIMATE WEIGHT

ROOFING, SIDING AND CEILING.

Per Square (100 Sq. ft.,) Painted and Formed, as Sold.

Gauge No.	28	27	26	24	22	20	18	16
Black, painted, in pounds	70	77	84	110	138	165	220	275
Galvanized, not painted, in lbs	86	93	99	127	154	182	236	291

Shipping weight when in crates 5 to 7 pounds more per square.

Rules of Measurement

In Selling Sheet Metal Building Material on Which all Quotations are Based.

All Metal Roofing, Siding, Ceiling, except in Galvanized, Kalamined and Tin Plate, is painted both sides, unless otherwise ordered, and sold by **The Square,** or **Square Foot,** except Heavy Gauge Corrugated Iron and Steel, which is sold by the square or pound, as preferred.

A Square consists of 100 square feet, calculated by the following rules:

Corrugated Sheets.—Full width and length of sheets, after corrugated or formed, is calculated.

V Crimped, Beaded, Weatherboard and Imitation Brick, (Iron and Steel.)—Full length of sheets and actual covering width is calculated.

Standing Seam Steel, Iron and Tin Roofing.—Actual covering width and full length is calculated, whether the sheets are connected by end-locks and shipped in rolls, or separate and shipped in crates.

Wide Gutters and Valleys.—Full width and length of material is calculated.

Nails, Clips and Rivets, Wood Strips, Dry Paint, Cement and Ready Mixed Paints are sold by the pound, gallon or square, (the amount generally required in applying a square.) They are not included in the price quoted for the Roofing, Siding and Ceiling, but when furnished are charged as separate items.

Ridge Roll, Ridge Cap, Corrugated Wood Strips, Corner Boards, Panel Strips, Window and Door Case Coverings, Mouldings, Stilings, Eaves Trough, Conductor Pipes, Etc., are sold by the lineal foot, and charged as separate items when furnished. They are not included in prices quoted for Roofing, Siding and Ceiling.

Roofer's Rules for Measuring.

Completed Work After Applied to Buildings.

Plain Roofs.—Measure the length, including the amount turned up or down at each end or gable, and multiply by the distance from eave to eave, including the material used in the ridge seam, and the material lapped, either up or down, at eaves.

Roofs with Hips, Valleys, Dormers, Etc.—Measure each section through the center horizontally and multiply the length of the strip of metal at center, and in addition to the actual surface of the roof, measure the length of hips and valleys by one foot wide. The extra measure of hips and valleys is to compensate for extra labor and loss of material in cutting, fitting and laying the same.

Make no **Deduction** for any opening, chimneys, stacks, skylights, dormer windows or ventilators, unless such opening measures more than 50 square feet. If more than 50 square feet, and not more than 100 square feet, deduct half the size of the opening; if more than 100 square feet, deduct the full size of opening.

The rule is based on the fact that the waste of material and extra work in cutting and fitting the material for flashing such openings is equal to or greater than the value of the material cut out.

Flashing.—The labor of flashing pipes and Round stacks, whether brick or iron, is charged extra; no charges made for flashing ordinary chimneys.

Gutters and Valleys.—Multiply full length by full width.

Siding.—Multiply full length of each section by the height.

Make no Deduction for any window, door or other opening, unless the same measures more than 10 square feet, when not more than 25 square feet, deduct one-half; when more than 25 square feet, deduct all such openings, except when the wood casings to the windows, doors and other openings are to be covered with iron or steel; in such instances, no deductions for openings in sidings are made.

Gables are estimated by contents of gables, multiplying the width by one-half the height.

Corner Strips are charged by the lineal foot.

Cornice is charged by the lineal foot in all instances.

Eaves Trough and Conductor Pipe.—Measure the entire length, and add three feet extra for each mitre, shoe or other angle.

Flashings.—Measure all Material used necessarily, including unavoidable waste, except where no deductions are authorized for openings.

Ceilings.—Multiply the length of each section by the width; separate mouldings, panel division strips, stilings, cornices and friezes are calculated by the lineal foot, extra; rosettes and other ornaments are charged by the piece; painting other than first coat, is always charged extra Make no deductions for any opening measuring less than 10 square feet; if more than 10 square feet deduct full size.

Domes, Spires, Doors, Etc.—Measure all material necessarily used, including waste; charge for it at its value, together with cost of labor applying the material at wages agreed upon.

Scaffolding.—Where scaffolding is necessary, the customer is to furnish all necessary materials for same free of charge, and the roofer is to construct the scaffold free of charge for his labor.

Time unavoidably lost by workmen waiting, for the building to be ready for the sheet metal work, after date required to commence, is to be paid for by the customer.

Slip Joint Eaves Trough.

(Wock Patents, Nov. 28, 1889, and Aug. 12, 1890.)

Standard Formation, Strongest and Best in Quality.

In 10 feet sections, without cross seams. No solder required.

DIAGRAM OF SIZES,

Showing Style of our Standard Bead and depth of Trough.



PRICE LIST.

Galvanized, No. 28 Gauge, 10 feet Lengths.

				Per foot.
3	inch,	½	inch bead	14 cts.
3½	"	½	" "	15 "
4	"	½	" "	17 "
4½	"	½	" "	19 "
5	"	½	" "	20 "
6	"	⅝	" "	24 "
7	"	⅝	" "	28 "
8	"	⅝	" "	31 "

Terne Plate, Redipped, 10 feet Lengths.

				IX per ft.	IC per ft.
3	in ,	½	in bead	10 cts.	9 cts.
3½	"	½	" "	11 "	10 "
4	"	½	" "	12 "	11 "
4½	"	½	" "	13 "	12 "
5	"	½	" "	14 "	13 "
6	"	⅝	" "	16 "	15 "
7	"	⅝	" "	18 "	17 "
8	"	⅝	" "	21 "	20 "

For IXX Terne Trough, use Galvanized list.

Discount { Galvanized.....Per cent.
IX Terne..... " "
IC Terne..... " "

When ordering Slip Joint Trough, state whether right or left hand is wanted, otherwise half right and half left will be shipped.

For Standard Double Bead Trough add 3 cents per foot to the above list prices. Standard Double Bead Trough has 2 inches more girt than Single Bead of same size.

A case of trough consists of 25 pieces, half right and half left, unless otherwise ordered. Crates at cost.

WRITE FOR DISCOUNT.

Lap Joint Eaves Trough.

Made of Galvanized and Redipped Terne Plate.

PRICE LIST.

More perfect in form and strength of bead than any other.

		Galvanized, No. 28 Gauge, Per Foot.	IX Terne Plate, Per Foot.	IC Terne Plate Per Foot.
3	inch, (6 inch girt)....	13 cents	9 cents	8 cents.
3½	" (7 " ")....	14 "	10 "	9 "
4	" (8 " ")....	16 "	11 "	10 "
4½	" (9 " ")	18 "	12 "	11 "
5	" (10 " ")....	19 "	13 "	12 "
6	" (12 " ")....	23 "	15 "	14 "
7	" (14 " ")....	27 "	17 "	16 "
8	" (16 " ")....	30 "	20 "	19 "

A case consists of 25 pieces, 10 feet long. Crates at cost.

Heavy Gauges.

For No. 27 Gauge, add 1 cent per foot to list price of No 28 Gauge.
For No. 26 Gauge, add 2 cents per foot to list price of No. 28 Gauge.
For No. 24 Gauge, add 6 cents per foot to list price of No. 28 Gauge.

Nos. 22, 20, and 18 Gauges quoted on application.

Copper Trough Quoted on Application.

☞We always ship Galvanized Trough with Slip Joint and Terne Plate with Lap Joint unless otherwise specified.

Standard Double Bead Trough.



Price, add 3 cents per foot to list price of Single Bead of same size.

Discount { Galvanized.....Per cent.
IX Terne Plate .....Per cent.
IC Terne Plate.....Per cent.

Double Bead Trough either Slip or Lap Joint is always right and left within itself.

The only firm prepared to form and bead heavy gauge materials.

WRITE FOR DISCOUNTS.

Mitres.

OUTER CORNER MITRE.



INNER CORNER MITRE.

Galvanized and Redipped Terne Plate Slip Joint and Lap Joint Mitres kept in stock.

PRICE LIST.

	Galvanized.		Terne Plate.	
	Slip Joint.	Lap Joint.	Slip Joint.	Lap Joint.
3 inch, per dozen net	$2.75	$2.25	$2.35	$1.85
3½ " " "	3 00	2.50	2.50	2.00
4 " " "	3.25	2.75	2.75	2.25
4½ " " "	3.50	3 00	3.25	2.75
5 " " "	3.50	3.00	3 25	2.75
6 " " "	4 00	3 50	3.50	3.00
7 " " "	4.75	4.25		
8 " " "	5.50	5 00		

For Double Bead Mitres, add 50 cts. per dozen to above prices.

☞When ordering Slip Joint Mitres, state whether right or left hand is wanted, and whether for "Inner" or "Outer Corner," otherwise half rights and half lefts and half "Inner" and half "Outer Corner" mitres wi l be shipped.

Slip End Caps and Drops.



A—Is a 12 inch section of Trough, with Slip Joint End Cap (B), and Drop (C) soldered in place.

B—Is a Slip Joint End Cap which requires no solder.

C—Is a Drop or Outlet to be soldered to under side of trough.

REVISED PRICE LIST.

Size.	A complete.	B ends only.	C drops only.
2 inch, per dozen,			$ .60
2½ " "			.65
3 " "			.75
3½ " "	$2.80	$ .95	.80
4 " "	3.10	1.10	.85
5 " "	3.45	1.20	.95
6 " "	4.15	1.45	1.20
7 " "	4.70	1.70	
8 " "	5.25	2.10	

☞We furnish end sections A complete, for 3½ and 4 inch Trough with a 2 inch drop C.

For 5 inch Trough with 3 inch drop C.

For 6 inch Trough with 4 inch drop C.

WRITE FOR DISCOUNTS.

Plain Roof Gutters.

Made of Galvanized, Terne Plate and Copper.

Nails used in fastening are not exposed.

☞**In ordering always Specify exact pitch of roof.**

STYLE A.

STYLE B.

RICE LIST.

Ten Feet Lengths.

					No. 28 Galvanized.
14 inch Girt,	5/8	Bead,	per foot		35 cents.
20 " "	5/8	"	"		50 "
24 " "	5/8	"	"		60 "

Prices on Copper and Galvanized in 18 Gauge or lighter, quoted on application

Discount, Galvanized..... .....Per cent.

☞Stays for Hanging Gutter, each, net, 3 cents.

Quarter Circle, O. G. and Box Gutters.

Lap Joint Only, in 10 Feet Seamless Lengths.

The following styles kept in stock. Can furnish any other style wanted. And in any gauge not heavier than No. 18. Beads ½ to 1¼ inch and larger when so ordered.

PRICE LIST.

STYLE C.

Size.	Depth.	Girt.	No. 28 Galvanized.
5 inch	3½ inch	12 inch	30 cents per foot.
6 "	4½ "	14 "	35 " "
7 "	4¾ "	16 "	40 " "



STYLE D.

Size.	Depth.	Girt.	No. 28 Galvanized.
6 inch	4 inch	15 inch	37 cents per foot.
7 "	5 "	18 "	45 " "
8 "	5¾ "	20 "	50 " "

STYLE E.

Size.	Depth.	Girt.	No. 28 Galvanized.
6 inch	4½ inch	15 inch	37 cents per foot.
7 "	5½ "	18 "	45 " "
8 "	7 "	22 "	55 " "

Quotations for Copper Gutter furnished on application.

WRITE FOR DISCOUNTS.

Quarter Circle, O. G. and Box Gutters.—Continued.

STYLE F.

Size.	Depth.	Girt.	No. 28 Galvanized.
6 inch	5½ inch	18 inch	45 cents per foot.
7 "	6 "	20 "	50 " "
8 "	7 "	22 "	55 " "

STYLE G.

Size.	Depth.	Girt.	No. 28 Galvanized.
6 inch	5½ inch	18 inch	45 cents per foot.
7 "	6½ "	20 "	50 " "
8 "	7 "	22 "	55 " "



STYLE H.

Size.	Depth.	Girt.	No. 28 Galvanized.
6 inch	4 inch	14 inch	35 cents per foot.
7 "	4¾ "	16 "	40 " "
8 "	5½ "	18 "	45 " "



STYLE J.

Size.	Depth.	Girt.	No. 28 Galvanized.
6 inch	5¾ inch	18 inch	54 cents per foot.
7 "	6½ "	20 "	60 " "
9 "	8 "	24 "	72 " "

Discount { Galvanized.....per cent.
I X Terne Plate..... "
I C Terne Plate..... "

Price on Heavy Gauge Gutters quoted on application.

☞Back of Gutter same height as Beaded side. For higher Back, add 2 cents per foot to list prices for each additional inch of girt.

☞When ordering, use Fig. No. and style letters in this catalogue.

WRITE FOR DISCOUNTS.

Belding's Ornamental Roof Gutter.

Stop Gutter and Moulding Combined.

(PATENT APPLIED FOR)



Beautiful. Substantial.

Guaranteed Satisfactory. Endorsed by Architects and Builders.

Made in best quality Galvanized and Terne Plate, in 10 ft. lengths, and of Copper in 8 ft. lengths, 12 in. to 30 in. wide, in two sections, adjustable and expanding. Quicker and more easily applied than any other. Any fall desired. Will not leak. Cheaper than wood or other Gutter. Is continuous, extending under the slate, tin or shingles, as shown in the cut.

Directions for Applying to Obtain Necessary Fall.

Commence at lower point of fall, and lap each additional section one inch or more. At end of Gutter where outlet is wanted, measure from the eave up the roof a distance corresponding to the width of lower section of Gutter, and nail one end of a plastering lath with its upper edge at point ascertained by measurement. The fall is obtained by nailing the lath continuously toward the opposite end, which for large size Gutter should be 2 inches farther up the roof than the lower end. Then attach both sections of the Gutter as shown in the cut, and place the upper section of the Gutter over and against the upper edge of the lath; then nail the Gutter along the upper edge, and draw edge of lower section down over eave and nail to edge of eave board. Where the distance water is to be carried is great, the fall must be divided and water discharged into pipes at opposite ends of roof, or from a pipe at center. **Select size according to size of roof.**

To Apply Without Using Lath.

Stretch a chalk or other line at points described for locating lath, and place lower edge of upper section against line and nail securely at upper edge; remove the line, unite the lower sections with upper, draw edge of lower section down over eave, and nail to edge of eave board. When the Gutter has been put in place as described, solder thoroughly all cross joints, and apply one or two coats of good paint to the entire Gutter before applying the roof. The seam formed by uniting upper and lower sections may be closed by squeezing, if desired.

When pitch of Roof is given, we can furnish mitres for hips and valleys, also pieces for closing ends of Gutter, at reasonable prices.

PRICE LIST.

Size.	Face Apron.	Depth.	Gutter Apron.	No. 28 Galvanized.
12 inch girt..... ...	1½ inch	1½ inch	5½ inch	Per lineal foot, 30 cents.
15 " "	2 "	2 "	6 "	" " " 37 "
20 " "	2 "	3 "	8 "	" " " 50 "
24 " "	3 "	3½ "	9½ "	" " " 60 "
28 " "	5 "	3½ "	11 "	" " " 70 "
30 " "	5 "	4 "	12 "	" " " 75 "

Discount.....per cent.

Prices on Terne Plate, Copper Gutter and heavier gauge Galvanized quoted on application. Also Copper Gutter with Galvanized Apron quoted on application.

WRITE FOR DISCOUNTS.

THE STANDARD

Wire Eaves Trough Hanger.

Patented October 26, 1888.



Guaranteed the Best Wire Hanger made.

No solder required. Four pounds solder and five hours labor saved on each gross.

Cheap, strong, nice and reliable. Easily applied. Cannot get out of place. Always satisfactory.

☞In ordering state size of bead, otherwise ½ inch will be sent.

PRICE LIST.

			Net.
3	inch, for ⅜, ½ or ⅝ inch bead, made from No. 11 Galvanized wire	per gross,	$2.00
3½	" " ⅜, ½ or ⅝ " " " " " "	"	2.25
4	" " ⅜, ½ or ⅝ " " " " " "	"	2.50
4½	" " ⅜, ½ or ⅝ " " " " " "	"	2.75
5	" " ⅜, ½ or ⅝ " " " " " "	"	3.00
6	" " ⅜, ½ or ⅝ " " " " " "	"	3.25
7	" " ⅜, ½ or ⅝ " " " " " "	"	3.50

☞We are sole manufacturers of the Standard Hangers, and owners of patent for same. Imitations of this Hanger, faulty in construction, are now on the market. They are an infringement on our patent. Buyers are hereby notified accordingly.

Double Bead Wire Hangers.



Price same as for single bead hangers.

WRITE FOR DISCOUNT.

OUR ACME ADJUSTABLE

Steel Eaves Trough Hanger.

IS ALSO A BRACE.

(Patented.)



Guaranteed nicer and stronger than any other in use, and not to slip in clinching and more quickly applied. Made of No. 18 Gauge Steel, arched and flanged; does not catch dirt. Coated with indestructible enamel. No solder required. Four pounds of solder and five hours' labor saved on each gross. The flange prevents the lower nut from becoming loose. Our Improved Tongs and Wrench Combined are universally acknowledged superior to all others.



Showing the Hanger Applied. Sizes are taken inside of Bead.

PRICE LIST TO THE TRADE.

	With Rods and Nuts Complete.	With Tinned Cross Bars.	With Straps Riveted to Cross Bar.	With Strap and Cross Bars Tinned.
3 inch, Japanned.....per gross,	$3 75	$4 25	$3.50	$4.00
3½ " " ..... " "	4 00	4 50	3.50	4.00
4 " " ..... " "	4 25	4.75	3.75	4 50
4½ " " ..... " "	4.35	4.85	3.85	4.75
5 " " ..... " "	4 50	5.25	4.00	5 00
6 " " ..... " "	5 00	6.00	4 50	5 50
7 " " ..... " "	6.00	7.00	5 50	6 50
8 " " ..... " "	8 00	9 00	7.50	8.50

Hanger Tongs, each, net, 40 cents; Rod Bender, 75 cents; Hoisting Pulleys, $1.00.

State size of Bead and whether Rods or Straps are wanted. Rods and Nuts always sent with Hangers unless otherwise ordered. Size taken between edge and inside of Bead.

Double Bead Acme Hangers.

Price same as for Single Bead Hangers.

WRITE FOR DISCOUNTS.

Gutter Hangers.

The only perfect open gutter Hanger in existence.
Patened October 13, 1869; August 11, 1885; July 6, 1886.



No. 7 is made to drive from 3 to 4 inches square in the cornice. The lower prong forms a brace for the upper and makes it very strong and firm.



No 8 is made to drive from 3 to 6 inches square in the cornice.
This iron is intended for eaves where the shingles project far over the cornice.



No. 9 is to drive with the pitch of the roof. Same length as No. 7.
Suited for narrow molded cornice.



No. 13 drives with the pitch of the roof. Same length as No. 8.



No. 10 is made to nail against square box cornices, and is especially adapted to barns, mills and factories.

WRITE FOR DISCOUNTS.

TRY THEM AND BE CONVINCED.

No. 20 is Hinged for any pitch, can be nailed or screwed to various shaped moldings, at any angle desired.



No. 19 is used either on top or under the shingles and suited for short projections of the shingles over the mouldings.



ASSORTED LENGTHS.

All orders are filled with assorted length shanks unless otherwise ordered.



No. 11 is especially adapted to barns, mills and factories, where the rafters are exposed. The shank is nailed to the side of rafter, assorting the 4, 6¼ and 9 inch shank to correspond with the amount of fall required. If more fall is desired, use the extension shank, to bolt on the end.

For Hinged, see No. 18.



No. 12 is made ¼ pitch to fasten under the shingles or slate, and are bent to suit the pitch. The holes on top of the shank are made beveling so that the nail can be driven at any point and enter the shank.

No. 15 is made for flat roofs.

No. 25 for steep roofs, half pitch.

No. 17 is Hinged for any pitch.

See No. 17, next page.

WRITE FOR DISCOUNTS.

NO TOOLS NEEDED—EASILY PUT UP.



No. 24 is Hinged to bolt on corrugated or other iron roofs, for awnings, mills and factories.

Note the Hinge and Circle, both adjust to every ⅛ of an inch.





THE GEM CIRCLE.

For Single Bead Trough. All sizes.

THE PENN CIRCLE.

For Double-Beaded Trough. All sizes.

THE STANDARD CIRCLE.

For ½-inch Single Beads.

Globe Circle for ¾ Bead is Same Style.

WRITE FOR DISCOUNTS.

PRICE LIST OF SHANKS.

Put up 50 in a Package.

	Per 100, Net.
Nos. 7-9	$2.00
Nos. 8-10-13-14	3.00
Nos. 6-11-12-15-20-25	3.50
Nos. 17-18-24	4.00
No. 19 with bolt for Hinge	5.00
Extension Shank with extra bolt	2.00

PRICE LIST OF CIRCLES.

With Bolt and Strap.

	Per 100, Net.
3, 3¼, 3½, 3¾, 4, 4¼ inches	$2.00
4½, 5, 5¼ inches	3.00
5¾, 6, 6¼, 6½ inches	4.00
7, 7¼, 7½, 8 inches	5.00
9, 10 inches	6.00

For Galvanized, add 25 per cent. to List.

Note—In measuring Gutter, always spread it to a true compass inside of Bead. Also always state what kind of circle is wanted.

Leading size circles: 3½, 4, 4¼, 5 and 6 inches.

Leading Shanks: Nos. 7, 8, 9, 10, 11 and 12.



EAVE TROUGH SPIKES.

Measure Between Beads.

	Price per 100, Net. Black.				
Inches	4	4½	5	6	7
Short Drive, No. 1	$3.00	$3.50	$4.00	$4.50	$5.00
Med. Drive, No. 2	4.00	4.50	5.00	5.50	6.00
Long Drive, No. 3	5.00	5.50	6.00		

☞Always state what size bead is wanted.

REPAIR SPIKES.



Price per 100, Net, Black.

7 inches long	$2.00
9 inches long	2.50
12 inches long	3.00

☞Always state what size of bead is wanted.

WRITE FOR DISCOUNTS.

Valleys and Gutters.

ANY LENGTH DESIRED.

Made of Long Sheets with Double Seamed Cross Lock Soldered.

Shipped in Rolls.

No. 28 GALVANIZED.

	Per Lineal Foot		Per Lineal Foot.
10 inch	15 cents.	18 inch	30 cents.
12 "	20 "	20 "	35 "
13½ "	23 "	24 "	40 "
15 "	25 "	30 "	50 "

TERNE PLATE.

	IC per foot.	IX per foot.		IC per foot.	IX per foot.
10 inch	10 cents.	11½ cents.	20 inch	20 cents.	22½ cents.
12 "	12 "	13½ "	24 "	24 "	27 "
15 "	15 "	17 "	30 "	30 "	34 "

Discount { Galvanized.....per cent.
IX Terne Plate.....per cent.
IC Terne Plate.....per cent.

Copper and Heavy Gauge Gutters quoted on application.

Cornice and Secret Gutter Combined.

With Solid Bottom and Fascia Riveted.





The dotted line shows the false bottom with an incline to carry the water.

Galvanized bracket supports furnished when so specified in the order.

Prices quoted on receipt of specifications, showing whether brackets and ornaments are wanted, and the distance and direction water is to be carried.

WRITE FOR PRICES.

CORRUGATED

Round and Square Expanding Conductor.

Galvanized Conductor Pipe, 10 feet lengths, made of one piece, no cross seams.

Not affected by Expansion or Contraction.

Guaranteed the stiffest, nicest and best Corrugated Conductor in the world. Made in all gauges, No. 18 and lighter.

PRICE LIST No. 28 GALVANIZED.

ROUND.	Per Foot.
2 inch	13 cents.
3 "	15 "
4 "	20 "
5 "	25 "
6 "	30 "
7 "	35 "
8 "	40 "

SQUARE.

2¼x1¼ inch	14 cents.
3¼x2⅜ "	16 "
4¼x2¾ "	21 "
5 x3¾ "	26 "

Square Pipe list price one cent per foot higher than Round of same capacity.

Capacity of Square Conductor is the same as of Round of same list price.

All our Pipe guaranteed standard size.

HEAVY GAUGE
ROUND AND SQUARE CORRUGATED CONDUCTOR.

For No. 27 Gauge, add 1 cent per foot to List Price of No. 28 gauge.
" 26 " " 2 " " " " " " 28 "
" 24 " " 4 " " " " " " 28 "

No. 22, 20 and 18 Gauge quoted on application.

Discount.....per cent.

☞Prices for Copper Conductor quoted on application.

☞All sizes 2 to 6 inch will nest in one crate.

WRITE FOR DISCOUNTS

STAMPED CORRUGATED

Expanding Elbows and Shoes.

Round or Square. Galvanized After Being Made.

ROUND ELBOWS.

1

2

3

4

SQUARE ELBOWS.

1

2

3

SHOES.

3

3

Guaranteed stronger and more durable than anyother style.

PRICE LIST.

	ROUND. Elbows. Each.	Shoes. Each.	SQUARE. Elbows. Each.	Shoes. Each.
2 inch	25 cents.	30 cents.	30 cents.	40 cents.
3 "	30 "	36 "	36 "	48 "
4 "	40 "	48 "	48 "	60 "
5 "	50 "	60 "	60 "	72 "
6 "	60 "	72 "	72 "	84 "

Discount.....per cent.

Can also furnish Side or Right and Left Curve Elbows.

Price of Hand Made Elbows and Shoes of Heavy Gauge quoted on application. When ordering state size and angle wanted.

PATENT CORRUGATED CONDUCTOR HEAD OR JOINT MOULDINGS.

The cut shows this Conductor Head, first alone, then slipped into the top of a Corrugated Conductor. It makes a cheap, attractive and convenient finish. No solder required. Price list, same as 1 foot of corrugated Conductor Pipe of same size.

Discount.....per cent.

WRITE FOR DISCOUNTS.

ADJUSTABLE

Patent Conductor Fasteners.



In the first set shown, A is a tinned malleable iron spike to drive in between bricks or stones. B is to be soldered to the conductor. It is made of heavy tin, and can be used as shown on square pipe, or easily ent to fit Corrugated or plain round pipe. C is a copper nail slipped through A and through B at any desired hole, and then clinched down.

In the second set, D is a malleable iron plate to be fastened to a wooden building.



Price per set..... 10 cents, net.



Conductor Cleats.

Price Per 100 Tinned.

	Net.
No. 3	$1.50
No. 4	2.00
No. 5	3.00

No. 3 or 4 will answer for 2 to 5 inch pipe. They are fastened crosswise to the pipe, and are nailed at each side

No. 5 is fastened lengthwise for slipped joints, and will answer for all sizes plain, round or corrugated pipe.



SELF ACTING

Corrugated Hinged Hooks.

No Wire Necessary.

(Belding Patent, 1894.)

Price Per 100 Tinned.

	For Wood.	For Brick
2 inch, per 100, net	$3 00	$4.00
3 " " " "	4.00	5.00
4 " " " "	5.00	6 00
5 " " " "	6.00	8.00
6 " " " "	7.50	9.50

SELF ACTING

Round Hinged Hooks.

(Belding Patent, 1894.)

No Wire Necessary.



	BRICK.		WOOD.	
	Plain.	Tinned.	Plain.	Tinned.
2 inch, per 100, net	$2.50	$3.50	$2 00	$2 50
3 " " " "	3.50	4.50	2 50	3.50
4 " " " "	4 50	5 50	3.50	4.50
5 " " " "	6.00	7.00	4 50	5.50
6 " " " "	7.00	8.50	6 00	7.00

These Hooks combine the advantages of a Hinge, with the common plain Hook, and are preferable to any other Hooks in the market.

When ordering, state whether Plain or Tinned Hooks are wanted.

WRITE FOR DISCOUNTS.

Corrugated Hinged Hooks.



Tinned.

	For Wood.	For Brick.
2 inch, per 100, net	$3.00	$3.50.
3 " " " "	4.00	4.50
4 " " " "	5 00	5.50
5 " " " "	6.00	6.50

PLAIN ROUND HINGED HOOKS.

Tinned.

	For Wood.	For Brick.
2 inch, per 100, net	$2.50	$3.50
3 " " " "	3.50	4.50
4 " " " "	4 50	5.50
5 " " " "	5 50	6.50
6 " " " "		7.50

SQUARE WIRED HOOKS.

Tinned.

	For Wood.	For Brick.
2 inch, per 100, net	$1.50	$2 50
3 " " " "	2.00	3.00
4 " " " "	2.50	3.50
5 " " " "	3 00	4.00



CONDUCTOR FASTENERS.

Adjustable—Tinned.

No. 1, for Brick,	4½	inch, per 100, net		$4.00
No. 2, for Stone,	6	" " " "		5.00
No. 3, " "	9	" " " "		6.50
No. 4, " Wood,	3	" " " "		3.50
No. 5, " "	5	" " " "		4 00

Can be used in any position. Made to Rivet, Bolt or Solder.

WRITE FOR DISCOUNTS.

Half Round Wired Hooks.



Price Per 100, Tinned.

For Wood, 2 inch	$1 25
" " 3 "	2 00
" " 4 "	3 00
For Brick, 2 "	1.75
" " 3 "	2.75
" " 4 "	4.00

NOTE —Four inch can be enlarged for 5-inch.

Hooks for Either Corrugated or Round Conductors.



Tinned.

PRICE LIST.

	For Wood.	For Brick.
2 inch, per 100, net	$1.00	$1.75
3 " " " "	2.00	2.75
4 " " " "	3 00	4 25
5 " " " "	4.00	6.00
6 " " " "		8.00

Hooks for Wood have a smaller drive end.
In packages of 50.
7 and 8 inch sizes made to order.

Flashing Hooks.

PRICE LIST.



	Tinned.
1½ inch, per 100, net	$ .35
2½ " " " "	.55
3½ " " " "	1 00
5½ " " " "	1.70

The large size can be used on Square Conductor Pipe.

WRITE FOR DISCOUNTS.

Plain Round and Square Lock-Seam Pipe.

In 10 feet lengths without cross seams.

Guaranteed Perfectly Straight. Strong and durable.

In any Gauge not heavier than No. 18.

Made of Galvanized, Redipped IX and IC Terne Plate.

Largely used for Conductor, Ventilating, Heating, Blast, Hot Air and Blower Pipe, and all other purposes requiring strength and durability by Builders, Plumbers and Mining Engineers.

Guaranteed strongest pipe of this kind made.

PRICE LIST—Per Lineal Foot.

	Galvanized. No. 28.	Terne Plate. IX.	Terne Plate. IC.
2 inch	13 cents.	11½ cents.	10 cents.
2½ "	14 "	13 "	11 "
3 "	15 "	14 "	12½ "
3½ "	18 "	16 "	15 "
4 "	20 "	17½ "	16 "
5 "	25 "	22½ "	20½ "
6 "	30 "	27½ "	25 "
7 "	35 "	....	....
8 "	40 "	....	....

Square Conductor Pipe list price one cent per foot higher than round of same capacity.

REVISED LIST GALV.

PRICE LIST

2½ inch 15 Cents

3½ inch 20 Cents

Heavy Gauge Galvanized Pipe.

No. 27 Gauge, add ½ cent per foot to list price of No. 28 Gauge.
No. 26 Gauge, add ¾ cents per foot to list price of No. 28 Gauge.
No. 24 Gauge, add 1 cents per foot to list price of No. 28 Gauge.
No. 22, 20 and 18 Gauge, quoted on application.

Discount. { Galvanized.....per cent.
IX Terne Plate.....per cent.
IC Terne Plate.....per cent.

Copper Conductor quoted on application.

Crates at cost.

☞Elbows for Plain Round Pipe or Heavy Gauge made only to special order on receipt of specifications and drawings showing angle wanted.

☞Spiral pipe quoted on application.

WRITE FOR DISCOUNTS.

"O. H." One Piece Elbows.

For Round Pipe.

STRONG AND DURABLE.



PRICE LIST.

Size.	Galv. Elbows. Each.	Galv. Shoes. Each.	Tin Elbows. Each.	Tin Shoes. Each.
2 inch, Nos. 1, 2 and 3	25 cts.	30 cts.	20 cts.	25 cts.
2½ " " " "	27 "	32 "	22 "	27 "
3 " " " "	30 "	36 "	25 "	30 "
3½ " " " "	35 "	42 "	30 "	35 "
4 " " " "	40 "	48 "	35 "	40 "
5 " " " "	50 "	60 "	42 "	50 "
6 " " " "	60 "	72 "	50 "	60 "

Discount.....per cent.

Patent Adjustable Elbows.

For Round Pipe.



PRICE LIST.

Size.	Galvanized. Per Dozen.	Bright Tin. Per Dozen.
1½ inch	$ 1.60	$ 1.30
2 "	1.60	1.30
2½ "	2.00	1.80
3 "	2.40	1.80
4 "	3 00	2.25
5 "	3 60	3.50
6 "	5.40	5.00
7 "	7.20	6.50
8 "	9.60	8.00
9 "	11.00	10.00
10 "	12.50	11.50

Discount.....per cent.

These Elbows can be adjusted to any angle between a straight line and a right angle, as shown by the cuts.

WRITE FOR DISCOUNTS.

Flat Crimped Elbows and Shoes.

The Strongest and Best Elbows in the Market. Galvanized or Retinned After Being Made.



No. 0.
Three Crimps.

No. 1.
Four Crimps.



No. 2.
Five Crimps.



No. 3.
Six Crimps.



No. 4.
Seven Crimps.



Shoe.
Six Crimps.

Made of one piece of Metal with flat folds on the outside. The inside is perfectly smooth.

Furnished with any number of folds so as to form any required angle.

PRICE LIST.

ELBOWS.

	Galvanized or Retinned.	Plain Tin.
2 inch, each	25 cents.	20 cents.
2½ " "	27 "	22 "
3 " "	30 "	25 "
3½ " "	35 "	30 "
4 " "	40 "	35 "
5 " "	50 "	42 "
6 " "	60 "	50 "

SHOES.

	Galvanized or Retinned.	Plain Tin.
2 inch, each	30 cents.	25 cents.
2½ " "	32	27 "
3 " "	36	30 "
3½ " "	42	35 "
4 " "	48	40 "
5 " "	60	50 "
6 " "	72	60 "

Discount. { Elbows.....per cent.
Shoes.....per cent.

When ordering, always state number of folds wanted.

The following table shows the number of folds required to form a right angle or ¼ bend for each size.

For 2, 2½, 3 or 3½ inch..... 7 crimps.
For 4 inch..... 8 crimps.
For 5 inch..... 9 crimps.
For 6 inch.....11 crimps.
For 8 inch.....15 crimps.

WRITE FOR DISCOUNTS.

Conductor Heads.



STYLE A.



STYLE B

ORNAMENTAL

AND

STRONG.



STYLE C.

Where there are Fire Walls, connect Roof Gutter with Conductor Head by a feed pipe through an opening in wall.

PRICE LIST.

No. 28 Gauge Galvanized and IX Terne Plate.

STYLE A.

For 2 inch Pipe, each	$1.25	For 5 inch Pipe, each	$2.30
" 3 " " "	1.40	" 6 " " "	2.75
" 4 " " "	1.65	" 7 " " "	3.50

STYLE B.

For 2 inch Pipe, each	$1.35	For 5 inch Pipe, each	$2.50
" 3 " " "	1.50	" 6 " " "	3.00
" 4 " " "	1.75	" 7 " " "	3.75

STYLE C.

For 2 inch Pipe, each	$1.35	For 5 inch Pipe, each	$2.75
" 3 " " "	1.50	" 6 " " "	3.25
" 4 " " "	2 00	" 7 " " "	4.00

With overflow, 50 cents higher.

Discount { Galvanized..... per cent.
Terne Plate..... per cent.

Price on Heavy Gauge Galvanized and Copper Conductor Heads quoted on application.

WRITE FOR DISCOUNTS.

Ornamental Conductor Heads and Bands.

Made of No. 26 Galvanized.

For Round or Square Corrugated or Plain Conductor.

STYLE D.



STYLE E.

PRICE LIST.

Either Style, Round or Square.

2 inch, each, complete	$2.50
3 " " "	3.00
4 " " "	3 50
5 " " "	4.00

Discount.....per cent.

In ordering state whether for Round or Square Conductor.

GALVANIZED CONDUCTOR BANDS.

Round or Square.

2 inch, each	$ .30
3 " "	.40
4 " "	.50
5 " "	.60

Discount.....per cent.

Prices on Copper Conductor Heads and Bands quoted on application.

WRITE FOR DISCOUNTS.

The Lock Lever Cut-Off.

The Latest, Strongest and Best.



Style A.
Pat. Jan. 29, 1895.



Style B.





Style C.

The only Positive-Locking Cut-off in the market.

Will not get out of order nor break.

The valve is reversed by operating the lever.

It cannot be turned or misplaced by falling ice or heavy pressure of water.

Easily operated. Acknowledged superior to all others.

PRICE LIST.

	Tin.	Galvanized.
2 inch, per dozen	$ 4.50	$ 6.50
2½ " " "	5.00	7.00
3 " " "	6 00	8.00
3½ " " "	8.00	9.50
4 " " "	9.00	11.00
5 " " "	14.00	20.00
6 " " "	20.00	30.00

Discount. Style A & C. { Galvanized.....per cent. / Tin.....per cent.

Discount. Style B. { Galvanized.....per cent. / Tin.....per cent.

Each size up to 5 inch packed in crates of one dozen.

Crates of 5 and 6 inch contain one-half dozen each.

No charge for crates.

WRITE FOR DISCOUNTS.

CAST IRON

Boots, Shields and Sewer Connections.

Square Boot.

Corrugated Boot.

Square Shield.

Corrugated Shield.

Square Sewer Connection.

Corrugated Sewer Connection.

PRICE LIST.

BOOTS.

With Lugs Cast On.

	Each.
4½ feet long for 2 inch pipe	$2.25
4½ " " 3 "	3.25
4½ " " 4 "	4.00
4½ " " 5 "	5.00
4½ " " 6 "	6.00

SHIELDS.

With Lugs Cast On.

	Each.
4½ feet long for 3 inch pipe	$3 00
4½ " " 4 "	3.65
4½ " " 5 "	4 65
4½ " " 6 "	6.00

Can furnish octagon style same price.

Sewer Connections.

With Lugs Cast On.

5 feet long for 2 inch pipe	$2.25
5 " " 3 "	3.25
5 " " 4 "	4.00
5 " " 5 "	5 00
5 " " 6 "	6.00

Discount.....per cent.

☞These shields are very strong and protect the pipe from blows and knocks. There is room inside for the pipe to expand in case of freezing.

WRITE FOR DISCOUNTS.

Speaking Tubes.

Fig. 80.



PRICE LIST.

1 inch, per foot	$ .03
1 " Square Elbow, per doz	.60
1 " Stamped " "	90
Whistlers with indicator plain, per doz	4.00
" " " Porcelain "	4 50
" " " Nickled, "	7.00

Discount .....per cent.

Fig. 81.





Conductor Strainers.



The Standard.



The Wock Patent.

PRICE LIST.

	Galvanized. Per Doz.	Copper. Per Doz.
2 inch	$ .60	$1.00
3 "	.80	1.50
4 "	1.20	2.00
5 "	1.50	3.00
6 "	1.75	5.00

Discount.....per cent.

	Galvanized. Per. Doz.
2 inch	$ .40
3 "	.60
4 "	1.00
5 "	1.30
6 "	1.65

WRITE FOR DISCOUNTS.

Solder.

Quality Equal to any in the Market.

PRICE LIST.

C. S. R. Co. Genuine half and half..... 16 cents.

No old metal or junk used in making our solder.
No inferior cheap solder furnished.

V Ridge Cap.

No. 28 Galvanized. 10 Feet Lengths.

PRICE LIST.

6 inch Girt, per lineal foot .....13 cents.
7 " " " " .....14 "
8 " " " " .....16 "

Ridge Roll.

No. 28 Galvanized. 10 Feet Lengths.



PRICE LIST.

	Width of Apron.	Per Lineal Foot.
1¼ inch size, 7 inch Girt.....	2 inches	14 cents.
1½ " " 8 " "	2¼ "	16 "
2 " " 10 " "	2⅝ "	19 "
2½ " " 12 " "	3 "	23 "
3 " " 15 " "	4 "	28 "

Discount..... per cent.

WRITE FOR DISCOUNTS.

Galvanized Sheets in Bundles.

Best Quality Only.



PRICE LIST.

Gauge.	Weight per sq. feet.	
No. 10	92½ oz.	12 cents per pound.
No. 12	72½ oz.	12 " "
No. 14	52½ oz.	12 " "
No. 16	42½ oz.	12 " "
No. 18	34½ oz	13 " "
No. 20	26½ oz.	13 " "
No 22	22½ oz.	14 " "
No. 24	18½ oz.	14 " "
No. 26	14½ oz.	15 " "
No. 27	13½ oz.	16 " "
No. 28	12½ oz.	17 " "
No. 29	11½ oz.	19 " "
No. 30	10½ oz.	21 " "

Discount.....per cent. off list.

SIZES KEPT IN STOCK FOR PROMPT SHIPMENT.

Gauges.....Nos. 28, 27, 26, 24, 22 and 20. Sizes.....24, 28 and 30 inch x 96 inch.
" ..... " 28, 27, 26, 24 and 22. " .....24 and 30 inch x 120 inch.
Other sizes and Gauges furnished promptly.

THREE-SIXTEENTH INCH CRIMP SHEETS.

Fig. 10.



Fig. 11.

Figs. 10 and 11 show full size and end view of Corrugates. Made of Gauges 24 and lighter. Size of crimps 3-16 x 1-16 inch. Sheets of any length, crimped cross ways up to 36 inches wide. Galvanized crimped used for Cornice, Stilings, Borders, Friezes, Window and Door Case Coverings, Panels, Mouldings, etc. The crimping makes the sheets about three gauges stiffer, and takes out buckles and waves, and gives the appearance of dressed stone. It can be bent after crimped to any angle without breaking material.

PRICE LIST.

Add 2 cents per lb. to list price of Galvanized quoted above.

Discount.....per cent.

WRITE FOR DISCOUNTS.

American Tin Plate.

Government experts and importers say our "Canton" Brand is superior to "Gilbertson's Old Method" and other best foreign brands.

TERNE TIN.

"C. S. R. Co's Canton."

Old style. Stamped and resquared.
30 lbs. coating.

IC 20x28 inches per box.....
IX 20x28 " " .....

"Supreme."

Old style. Resquared.
25 lbs. coating.

IC 20x28 inches per box .....
IX 20x28 " " .....

"Fargo."

12 lbs. coating.

IC 20x28 inches per box .....
IX 20x28 " " .....

"Favorite."

8 lbs. coating.

IC 20x28 inches per box .....
IX 20x28 " " .....

BRIGHT TIN.

"Home."

Charcoal Plate. Melyn Grade.

IC 20x28 inches per box .....
IX 20x28 " " .....

"Tower."

Charcoal Plate. Grange Grade.

IC 20x28 inches per box .....
IX 20x28 " " .....

"Yale."

Coke Plate. B. V. Grade.

IC 20x28 inches per box .....
IX 20x28 " " .....

"Seal."

Coke Plate. B. V. Grade.

IC 20x28 inches per box .....
IX 20x28 " " .....

WRITE FOR PRICES.

Sheet Copper.

Subject to Change.

SIZE OF SHEETS. WIDTH.	Length.	64 oz. and over, 50 pound sheet, 30x60 and heavier.	32 oz. up to 64 oz. 25 to 50 lb. sheet, 30x60.	24 oz. up to 32 oz. 18¾ to 25 lb. sheet, 30x60.	16 oz. up to 24 oz. 12½ to 18¾ lb. sheet, 30x60.	14 oz. and 15 oz. 11 to 12½ lb. sheet, 30x60.	12 oz. and 13 oz. 9½ to 11 lb. sheet, 30x60.	10 and 11 oz. 7¾ to 9½ lb. sheet, 30x60.	8 oz. and 9 oz. 6¼ to 7¾ lb. sheets, 30x60.	Lighter than 8 oz.
		Cents per pound.								
Not wider than 30 inches.	Not longer than 72 inches....	16	16	16	16	17	18	19	22	25
	Longer than 72 in. and not longer than 96 in.....	16	16	16	16	17	19	22	25	....
	Longer than 96 in.....	16	16	16	16	18	22	....	....	....
Wider than 30 inches but not wider than 36 inches.	Not longer than 72 in.....	16	16	16	16	18	20	23	26	....
	Longer than 72 in. and not longer than 96 in.....	16	16	16	16	18	22	25	....	....
	Longer than 96 in. and not longer than 120 in.	16	16	16	17	19	....	....	....	....
	Longer than 120 in	16	16	17	18	....	....	....	....	....
Wider than 36 inches but not wider than 48 inches.	Not longer than 72 in.....	16	16	17	18	20	23	26	....	....
	Longer than 72 in. and not longer than 96 in....	16	16	17	19	21	24	....	....	....
	Longer than 96 in. and not longer than 120 in	16	16	18	20	24	...	....	....	....
	Longer than 120 in.....	16	17	19	22	....	....	....	....	....
Wider than 48 inches but not wider than 60 inches.	Not longer than 72 in	16	16	17	19	22	27	....	....	....
	Longer than 72 in. and not longer than 96 in	16	16	18	20	25	....	....	....	....
	Longer than 96 in. and not longer than 120 in	16	17	19	22	....	....	....	....	....
	Longer than 120 in.....	16	18	20	24	....	....	....	....	....
Wider than 60 inches but not wider than 72 inches.	Not longer than 96 in.....	16	17	19	24	....	....	....	....	....
	Longer than 96 in. and not longer than 144 in	16	18	21	26	....	....	....	....	....
	Longer than 144 in.....	17	19	24	....	....	....	....	....	....
Wider than 72 inches but not wider than 108 inches.	Not longer that 120 in	17	19	25	....	....	....	....	....	....
	Longer than 120 in.....	19	20	....	....	....	....	....	....	....
Wider than 108 inches.	Not longer than 144 in.....	20	22	....	....	....	....	....	....	....
	Longer than 144 in	21	24	....	....	....	....	....	....	....

BOLT COPPER, ⅜ in diam. and over, per lb., 16 cts.

EXTRAS.

CIRCLES, SEGMENTS AND PATTERN SHEETS—3 cents per lb. advance over prices of copper required to cut them from.

COLD OR HARD ROLLED COPPER, 14 oz. per sq. ft. and heavier, 1 ct. per lb. over foregoing prices.

COLD OR HARD ROLLED COPPER, lighter than 14 oz. per sq. ft. 2 cts. per lb. over foregoing prices.

ALL POLISHED COPPER,—20 in. wide and under, 1 cent per lb. advance over price for Cold Rolled Copper.

ALL POLISHED COPPER—over 20 in. wide, 2 cts. per lb. advance over price for Cold Rolled Copper.

ALL PLANISHED COPPER—1 cent per lb. advance over price for Polished Copper.

TINNING SHEETS on one side, 10, 12 and 14x48 inch, each.....$ .06
" " 14x52 inch, each..... .08
" " 14x56 " " ..... .10
" " 14x60 " " ..... .12
" " 30x60 " " ..... .25
" " one side other than above sizes, per square foot 2 cents.
" " both sides, double above prices.

WRITE FOR PRICES.

Lintel Cornice.

Made of No. 26 Crimped Galvanized.



No. 511.

Height 12 in., projection 10 in. Price per foot.....$ .40
Mitres, each..... 1.00

No. 512

Height 12 in., projection 10 in. Per foot.....$ .60
End Blocks, each..... 4.00

No. 513.

Height 18 in., projection 10 in. Price per foot.....$ .80
End Blocks, each..... 4.25

No. 514.

Height 18 in., projection 10 in. Price per foot.....$ .70
End Blocks, each..... 4.25

Discount.....per cent.

WRITE FOR DISCOUNTS.

Cornice.

Made of No. 26 Crimped Galvanized.

No. 500.

Height 26 inches, projection 12 inches. Price per foot.....$ .60
Urns, each..... 1.00
End Blocks, each..... 5.00
Letters, each..... .60

Height 35 inches, projection 16 inches. Price per foot.....$ 80
Urns, each..... 1.00
End Blocks, each..... 6.00
Letters, each..... .60



No. 527.

Height 30 inches, projection 16 inches. Price per foot.....$3.60
Mitres, each..... 2.00

No. 515.

Height 26 inches, projection 10 inches. Price per foot.....$ .60
Mitres, each..... 1.25



No. 516.

Height 27 inches, projection 12 inches. Price per foot.....$1.00
End Blocks, each..... 6.00

Discount.....per cent.

WRITE FOR DISCOUNTS.

No. 506.

Height 24 inches, projection 12 inches. Price per foot.....$1.20
Mitres, each..... 2 50
Height 30 inches, projection 15 inches. Price per foot..... 1.45
Mitres, each..... 3 00



No. 517.

Height 27 in., projection 12 in. Price per foot..... $1 25
End Blocks, each 6.00

No. 518.

Height 32½ in , projection 16 in. Price per foot.....$1.25
Mitres, each..... 1.75



No. 502.

Height 48 in., projection 15 in. Price per foot.....$1.30
End Blocks, each..... 9.00

Discount.....per cent.

WRITE FOR DISCOUNTS.



No. 503.

Height 30 in., projection 18 in. Price per foot.....$ 1.50
End Blocks, each..... 9.00
Pediment 6 feet long..... 18.00

No. 501.

Height 36 inches, projection 18 inches. Price per foot.....$ 1.50
Urns, each..... 1.20
End Blocks, each..... 6.00



No. 519.

Height 30 in., projection 16 in. Price per foot.....$ 1.50
End Blocks, each..... 7.00



No. 520.

Height 28 in., projection 16 in. Price per foot.....$ 1.50
End Blocks, each..... 6.75

Discount.....per cent.

WRITE FOR DISCOUNTS.



No. 521.

Height 36 in., projection 15 in. Price per foot.....$1.30
End Blocks, each..... 6.65



No. 522.

Height 36 in., projection 15 in. Price per foot.....$1.50
End Blocks, eac 6.65

No. 523.

Height 24 in , projection 14 in. Price per foot $1.55
End Blocks, each 4.75



No. 504.

Height 25 in., projection 14 in. Price per foot.....$1 90
End Blocks, each. 8.00
Mitres, each..... 2 00

Discount.....per cent.

WRITE FOR DISCOUNTS.



No. 530.

Height 26 inches projection 12 inches. Price per foot.....$ .70
End Blocks, each..... 5.00
Urns, each..... 2.25



No. 524.

Height 42 inches, projection 24 inches. Price per foot.....$3.00
Mitres, each..... 2.50



No. 525.

Height 42 inches, projection 24 inches. Price per foot.....$2.90
Mitres, each..... 2.50



No. 526.

Height 36 inches, projection 24 inches. Price per foot.....$2.00
Mitres, each..... 2.00

Discount.....per cent.

WRITE FOR DISCOUNTS.



No. 528.

Height 42 inches, projection 24 inches. Price per foot.....$2 50
Mitres, each..... 2.50



No. 532.

Height 30 inches, projection 12 inches. Price per foot.....$1.05
Mitres, each..... 1.50



No. 535.

Height 26 inches, projection 12 inches. Price per foot.....$ .85
End Blocks, complete, each,..... 6.15



No. 534.

Height 26 inches, projection 12 inches. Price per foot.....$1.30
End Blocks, each..... 5 40
Urns, each..... 2.25

Discount.....per cent.

WRITE FOR DISCOUNTS.



No. 531.

Height 26 inches, projection 24 inches. Price per foot.....$ .70
End Blocks, each 5.40
Urns, each..... 2.00



No. 536.

Height 26 inches, projection 12 inches. Price per foot.....$ .90
End Blocks, each..... 5.75
Urns, each..... 3.00



No. 533.

Height 26 inches, projection 12 inches. Price per foot.....$1.20
End Blocks, each..... 5 50
Urns, each..... 2.25

The End Blocks of cornices Nos. 500, 530, 531, 533, 534, 535 and 536, can be interchanged if desired. Any of these blocks will fit the cornices of these numbers.

Discount.....per cent.

WRITE FOR DISCOUNTS.



No. 505.

No. 505.

Height 40 inches, projection 20 inches.

Price per foot	$ 2.75
End Blocks, with Urns complete, each,	10.00
Pediment, 10 feet long	40.00
Letters, each	.60



No. 538.

Height of Cornice 36 inches, projection, 24 inches.
Height of Balustrade 22 inches.

No. 538.

Cornice with Balustrade, including Post and Urns. Price per foot	$ 4.50
Cornice only. Price per foot	2.50
Pediment, 5 feet long, with Urns and Figures	10.00
Mitres, each	2.00

Discount.....per cent.

WRITE FOR DISCOUNTS.



No. 539.



No. 537.

No. 537.

Height 48 inches, projection 24 inches. Price per foot.....$ 3.50
Pediment, height 48 inches, length between posts 8 ft. Price complete with posts and urns..... 38.50
End Blocks and Trusses, each..... 13.50
Letters, each..... .60

No. 539.

Height of Cornice 30 inches, projection 24 inches.
Total height to top of Balustrade 69 inches, height of Pediment 24 inches.
Length of Pediment including side ornaments 9 feet.
Price of above cornice quoted on receipt of measurements giving length of cornice wanted.
Estimates made on any style of Galvanized or Copper Cornice when details and specifications are furnished us.

WRITE FOR PRICES.

Cornice Pediments.

Can be used on either style of Cornice and Front.

No. 540.

Length 8 feet, 8 inches; height in center, 3 feet, 1 inch. Price.....$41.00
Includes Urns and Top Cover.



No. 541.

Length 8 feet; height in center 4 feet. Price.....$27 50
Letters, each ..... .60
Cover not included.



No. 542.

Length 9 feet; height 3 feet, 2 inches. Price.....$28.00
Cover for center part not included.

Discount.....per cent.

WRITE FOR DISCOUNTS.

CROWN MOULDINGS.

No. 550.
Height.....10½ in.
Projection...4½ in.
Girt.....16 in.
Price per foot 20 cts.

No. 551.
Height.....12 in
Projection...7 in.
Girt.....18 in.
Price per foot 25 cts.

No. 552.
Height . ...13 in.
Projection..6¾ in.
Girt.....21 in.
Price per foot 27 cts.

No. 553.
Height.....10½ in.
Projection....6 in.
Girt .....20 in
Price per ft. 26 cts.

Discount.....per cent.

BELT MOULDINGS.

No. 560
Height.....4¼ in.
Projection.....3 in.
Girt.....12 in.
Price per foot, 15 cents.

No. 561.
Height. .....4¼ in.
Projection.....3 in.
Girt.....12 in.
Price per foot, 15 cents

Discount..... .....per cent.

CEILING MOULDINGS.

For Plain Corrugated Ceilings.



No. 570.
Height.....3½ in.
Projection..... .2½ in.
Girt..... 7 in.
Price per foot.....10 cts.

No. 571.
Height..... .....3 in.
Projection.....2½ in.
Girt.....7 in.
Price per foot ..... 10 cts.

Discount.....per cent.

WRITE FOR DISCOUNTS.

Window Caps.

Made of No. 26 Crimped Galvanized.

No. 102.

Price, each..... $4 50

No. 101.

Price, each $4 00

No. 111.

Price, each..... .....$5.00

No. 112.

Price, each..... .....$3.50



No. 114.

Price, each.....$5.50



No. 113.

Price, each.....$6.00



No. 100.

Price, each.....$3 00

No. 115.

Price, each.....$5 00

Discount.....per cent.

Above prices for all openings not over 38 inches wide.

WRITE FOR DISCOUNTS.

No. 103.

Price, each.....$2.00

No. 104.

Price, each.....$4.00



No. 105.

Price, each.....$2 50



No. 106.

Price, each.....$3.75

No. 107.

Price, each.....$3.50



No. 108

Price, each.....$4.00



No. 109.

Price, each.....$3.75



No. 110.

Price, each $4 25

Discount.... .....per cent.

Above prices for all openings not over 38 inches wide.

Give exact size of Opening.

Other styles and sizes made on receipt of details and specifications.

WRITE FOR DISCOUNTS.

Cresting Blocks and Finials.

Made of Galvanized to Fit our 2 Inch Ridge Roll.

No. 400
6 inches long.



No. 401.
7½ inches long.



No. 402
7 inches long.



No. 403.



No. 404.



No. 405.



No. 406.



No. 407.



No. 408.



Finial No. 300. Design made with Block No. 400.



Finial No. 301. Design made with Block No. 401.



Finial No. 302 Design made with Block No. 402.



Finial No. 307. Design made with Block No. 407.



Finial No. 305. Design made with Block No. 405.



Finial No. 303. Design made with Block No. 403.

PRICE LIST.

Blocks Nos. 400, 401, 402, each	25 cents.
Blocks Nos. 403. 404, 405, each	33 cents.
Blocks Nos. 406, 407, 408, each	35 cents.
Finial No. 300, each	$1.50
Finial No. 301, each	1.80
Finial No. 302, each	1.50
Finial No. 303, each	3.25
Finial No. 305, each	3.00
Finial No. 307, each	5.00

Discount.....per cent.

WRITE FOR DISCOUNTS.

PRICE LIST.

Galvanized Crestings.

Finials Extra.



Copyrighted

Style D.—Height 9 inches; width of Apron 4 inches.....30 cents per foot.



Copyrighted.

Style E.—Height 11 inches; width of Apron 4½ inches..... .....40 cents per foot.



Style F.—Height 11 inches; width of Apron 5 inches ....45 cents per foot.

Price and height of Finials, see page 97.



Style G—Height 11 inches, width of Apron 5 inches ..... 50 cent per foot.



Style H—Height 11 inches, width of Apron 5 inches.....55 cents per foot.



Style I—Height 11 inches, width of Apron 5 inches..... ... ... 60 cents per foot.
Price and height of Finials see page 97.



Copyrighted.

Style J—Height 11 inches, width of Apron 5½ inches..... ...75 cents per foot.



Copyrighted.

Style K—Height 11 inches, width of Apron 5½ inches.....80 cents per foot.



Style L—Height 10 inches, width of Apron 9 inches.....35 cents per foot.

Price and height of Finials see page 97.



Style M.—Height 8 in., width of Apron 7 in .....60 cents per foot.



Style O.—Height 12 in., width of Apron 9 in.....40 cents per foot.

When ordering Cresting or Finials, always give pitch of roof.

PRICE LIST.—Finials.

Finial,	Style	D,	complete,	Page	94,	Height	24	inches, each	$2.00
"	"	E,	"	"	94,	"	18	" "	2.00
"	"	F,	"	"	94,	"	30	" "	2.00
"	"	G,	"	"	95,	"	24	" "	2.00
"	"	H,	"	"	95,	"	30	" "	5.00
"	"	I,	"	"	95,	"	24	" "	4.00
"	"	J,	"	"	96,	"	24	" "	3.25
"	"	K,	"	"	96,	"	24	" "	3.25
"	"	L,	"	"	96,	"	19	" "	1.90
"	"	M,	"	"	97,	"	36	" "	8.00
"	"	O,	"	"	97,	"	30	" "	4.50

Discount..... .....per cent.

Either design of Finial can be used in combination with any of the above crestings.

WRITE FOR DISCOUNTS.

Skylights.

With or Without Glass.

Any style or design. Frames made of Galvanized or Copper.
Either plain, rough, ribbed or wired glass.
The curb of our Skylights are constructed so as to receive the condensation from gutters in the sash bars, and discharge the same through weep holes on to the roof, without soaking between two layers of metal so common in other Skylight construction.
Frames made to fit over Wood Curb.

HIPPED WITH VENTILATOR.



No. 400.

HIPPED WITH VENTILATOR.



No. 401.

HIPPED.

402.

DOUBLE PITCH.



No. 403.

DOUBLE PITCH TO FIT COMB OF ROOF WITH VENTILATOR.

Showing Application to Roof.



No. 404.

SINGLE PITCH.

Showing Application to Roof.



No. 405.

HIPPED TURRET SKYLIGHT—With Stationary Louvres.



No. 406.

☞Give measurement outside of curb, and thickness of curb.

Hipped Turret Skylight

With Ridge Ventilator and Movable Sashes.



No. 407.

Cuts Showing Detail of Construction.



Fig. 1.



Fig. 3.

Fig. 2.

EXPLANATION TO CUTS.

A. Cap.
B. Sash Bar.
D. Condensation Gutter.
G. Glass.
P. Putty.
M. Curb on Skylight.
W. Weep holes to drain Condensation.
C. Wood Curb.
L. Lap for Nailing to Wood Curb.

Fig. 1 Shows Construction over standard size (1¾) Wood Curb. This size always sent unless special width of top of Wood Curb is given.

Fig. 2 Shows Cross Section through Sash Bar.

Fig. 3. Shows construction for Wood Curb wider than 1¾ inch. Part L is turned over inside of Curb and nailed. Correct width of top of Wood Curb and outside measurements of the Curb is desired when ordering.

Notice.—We invite special study of our construction at letters D, M and W, for successfully carrying off all condensation from under surface of the glass.

What We Claim for Our Skylights.

See Detail of Construction, Page 100.

We can furnish any style of design; Frames of galvanized or copper with glass, of any kind or thickness desired, plain, rough, hammered, ribbed or wired; or without glass when so required.

Our Skylights are so constructed that all condensation from glass is carried by gutters in the sash bars direct into the curb and discharged through weep holes on to the roof, without soaking between laps of metal, so common in Skylight construction.

The peculiar construction of our curb renders counterflashing unnecessary. The Skylight frame is secured to inside of wood curb, leaving no nail heads exposed to the weather.

When the glass is bedded in good putty and properly glazed, **THESE SKYLIGHTS ARE MORE RELIABLE AGAINST LEAKAGE THAN WHEN MADE BY ANY OTHER PLAN OF CONSTRUCTION.**

We guarantee our Skylight frames to be of the best material and workmanship, very strong, neatly fitted, well riveted and soldered. The frames are made to fit over wood curbs.

THE OUTSIDE MEASUREMENTS OF THE WOOD CURB AND THICKNESS OF THE WOOD USED MUST ALWAYS BE GIVEN us to insure a neat fit. We do not furnish wood curbs.

We Pride Ourselves on our Skylights, as all are giving perfect satisfaction and are considered the best by those using them.

PRICE LIST OF SKYLIGHTS.

SIZE.	Hipped, No. 402.	Hipped, Nos. 400 and 401.	Double Pitch, No. 403	Double Pitch, No. 404.	Single Pitch, No. 405.	Hipped Turret, No. 406.	Hipped Turret, No. 407.
3 x 3 ft.....	9.90	12.90	9.90	10.40	8.90	.....	.....
3 x 4 ft.....	10.80	14.20	10.80	11.90	10.20	.....	.....
3 x 5 ft.....	13.50	15.00	13.50	14.35	12.00	34.30	63.10
3 x 6 ft.....	16.20	18.00	16.20	17.20	14.40	39.60	72.00
4 x 4 ft.....	14.40	16.00	14.40	15.50	12.80	35.20	64.00
4 x 5 ft.....	18.00	20.00	18.00	19.20	16.00	44.00	80.00
4 x 6 ft.....	21.60	24.00	21.60	22.75	19.20	47.60	83.60
4 x 7 ft.....	25.20	28.00	25.20	26.90	22.40	53.80	93.40
4 x 8 ft.....	28.80	32.00	28.80	30.50	26.60	60.00	103.20
5 x 5 ft.....	22.50	25.00	22.50	23.50	20.00	48.50	87.00
5 x 7 ft.....	31.50	35.00	31.50	33.00	28.00	62.20	105.00
5 x 8 ft.....	36.00	40.00	36.00	37.60	32.00	69.80	115.25
5 x 9 ft.....	40.50	45.00	40.50	42.20	36.00	76.90	127.30
5 x 10 ft.....	45.00	50.00	45.00	46.90	40.00	84.00	138.00
5 x 11 ft.....	49.50	55.00	49.50	51.20	44.00	90.00	143.50
6 x 6 ft.....	32.40	36.00	32.40	33.50	28.80	63.60	107.00
6 x 7 ft.....	37.80	42.00	37.80	39.00	36.60	72.00	123.00
6 x 8 ft.....	43.20	48.00	43.20	44.85	38.40	79.60	137.00
6 x 10 ft.....	54.00	60.00	54.00	56.00	48.00	95.60	158.00
6 x 12 ft.....	64.80	72.00	64.80	67.00	57.60	111.60	177.40
6 x 14 ft.....	75.60	84.00	75.60	78.00	67.10	117.00	203.00
7 x 10 ft.....	63.00	70.00	63.00	64.80	56.00	110.00	176.00
7 x 12 ft.....	75.60	84.00	75.60	78.00	67.20	130.20	187.20
8 x 14 ft.....	100.80	112.00	100.80	103.00	89.60	160.00	302.00

Above prices include ¼ inch Ribbed Glass packed in separate Cases.

Discount.....per cent.

WRITE FOR DISCOUNTS.

Dormer Window.

Made of Galvanized or Copper.



Side View.



Front View.

Price according to size.

Estimates furnished on receipt of Detail Plans of any design.

HIP CAP.



No. 146.

Height 48 inches, length of Ridge 24 inches, price.....$21.60
" 48 " " " " 35 " " 24.00

Add 20 cents to above list prices for additional inch in length.

Discount.....per cent.

When ordering always give pitch of roof and length of Ridge.

WRITE FOR DISCOUNTS.

Hip Caps and Tower Ornaments.



No. 150.

Price 14x18 inches.....$4.00
" 20x24 " 5.00



No. 151.

Price 14x18 inches.....$4.00
" 20x24 " 5.00



No. 152.

Height 36 inches, length of ridge 12 inches; price.....$16.00



No. 149.

Height 17 inches, length of ridge 12 inches; price.....$8.00



No. 147.

Height 21 inches, length of ridge 24 inches; price.....$12.50

Add 15 cents to above list price for each additional inch in length.

Discount.....per cent.

When ordering, always give pitch of roof and length of ridge.

WRITE FOR DISCOUNTS.

Finials.

No. 156.

Height 3 ft. 6 in.
Price, each.....$5.00

No. 157.

Height, 3 ft. 6 in.
Price, each.....$5.00



No. 153.

Height 4 ft. Price, each.....$6.00

No. 154.

Height 4 feet 3 in.
Price, each.....$7.00



No. 155.

Height 4 ft. 9 in.
Price, each.....$7.00

WRITE FOR DISCOUNTS.



No. 161.

Height, 3 feet. Price, each.....$ 8.00
Height, 4 feet. Price, each..... 10.00



No. 162.

Height, 4 ft. 3 in. Price each.....$15.00



No. 163.

Height, 4 feet, 8 inches. Price, each.....$20.00

WRITE FOR DISCOUNTS.



No. 164.
Height, 6 feet, 6 inches, Price, each, $20.00.



No. 165.
Height, 6 feet. Price, each, $15.00.

WRITE FOR DISCOUNTS.



No. 166.

Height, 6 feet. Price, each.....$22.00



No. 167.

Wrought Iron with Galvanized Base.
Height, 9 feet. Price, each $15.00

WRITE FOR DISCOUNTS.



No. 168.

Height, 7 feet. Price, each.....$25 00

WRITE FOR DISCOUNTS.



No. 169.

Height, 7 feet, 3 inches.
price, each..... ...$25.00

WRITE FOR DISCOUNTS.



No. 170.

Height, 3 feet. Price, complete, each.....$15.00
Horse, 21½ inches long, with plain rod. Price each..... 8.00

WRITE FOR DISCOUNTS.



No. 171.

Height, 6 feet. Price, each..... .....$20.00



No. 172.

Height, 5 feet. Price, each.....$20.00

Any size made to order.

WRITE FOR DISCOUNTS.

Weather Vanes.



No. 173.

Height, 3 feet, 6 inches, length of Vane, 3 feet. Price, each.....$10.00



No. 174.

Length, 28 inches, with 5 foot Rod and Ball. Price, each.....$4.00

WRITE FOR DISCOUNTS.



No. 176.

Length, 24 inches, with 3 foot Rod and Ball.
Price, each..... .....$4.25



No. 177.

Length, 26 inches, with 5 foot Rod and Ball.
Price, each..... $5.00



No. 175.

Length, 3 feet, with 5 foot Rod and Ball.
Price, each.....$8.00

WRITE FOR DISCOUNTS.



No. 198.

Length, 3 feet, with 5 foot Rod and Ball. Price, each.....$7.00



No. 179.

Length, 2 feet, 9 inches, with 5 foot Rod and Ball. Price, each.....$7.00



No. 180.

Length, 2 feet, 8 inches, with 5 foot Rod and Ball. Price, each $6.00

WRITE FOR DISCOUNTS.



No. 181.

Length, 3 feet, with 5 foot Rod and Ball. Price, each.....$8.00



No. 182.

Length, 2 feet, with 5 foot Rod and Ball. Price, each.....$5.00
Length, 2 feet, 6 inches, with 5 foot Rod and Ball. Price, each..... 5.50

WRITE FOR DISCOUNTS.

The Monarch Ventilator.

Round and Octagon.

Fig. 35.



Fig. 36.



For Barns, Factories and other Buildings. Copyrighted 1892.

Made of No. 24 Galvanized in 5 sizes.

The nicest, strongest and most durable ventilator for such buildings.

The corners of base and cone top are bracketed with bar iron.

No. 1.—Base, 14 inches square; diameter of drum, 10 inches; height, 3 feet 9 inches; price, $10.00.

No. 2.—Base, 18 inches square; diameter of drum, 12 inches; height, 5 feet; price, $12.00.

No. 3—Base, 22 inches square; diameter of drum, 15 inches; height, 6½ feet; price, $15 00.

No. 4.—Base, 28 inches square; diameter of drum, 21 inches; height, 8½ feet; price, $18 00.

No. 5.—Base, 35 inches square; diameter of drum, 29 inches; height, 11 feet; price, $22.50. Nos. 3, 4 and 5 are used most.

☞We can furnish weather vanes for ventilators, if wanted.

WRITE FOR DISCOUNTS.

The Kramer Chimney Top.

Sure Draft. Sure Swing.

The Best Revolving Chimney Top in the World.



The Easiest Turning Chimney Top Made.

This chimney top is **bolted on the outside** of the pipe, giving full capacity to the stack and allows no soot to collect.

The bearing is all on the extreme point making it the simplest and easiest turning chimney top on the market.

PRICE LIST.

6 inch, per dozen	$11.50	9 inch, per dozen	$16.50
7 " "	13 50	10 " "	18.00
8 " "	15 00	12 " "	22.00

Mounted and packed in barrels or boxes.

Directions for Cutting Hood Patterns.

BONNET.

For Bonnet for 6 inch Top, set compass to describe 14 inch circle. Cut out piece the width compass is set, measuring on circumference, and running to a point at center of circle, allowing enough for lap to rivet together. Form it oblong shape to fit yoke, having bonnet projecting 1 to 2 inches below top of pipe; also to have 1 inch space between Bonnet and Pipe. For Vane for 6 inch Top describe 8 inch circle and add 1 inch, which bend at right angles to rivet on Bonnet. Rivet a brace on each side of Vane to make it more firm. For larger sizes set compass 1 inch larger for each size Bonnet, and 1 inch for each Vane.





WRITE FOR DISCOUNTS.

THE POWERS'
Patent Revolving Chimney Top.



Iron Mountings as Furnished by Us.



Above shows Top complete.

Is a sure cure for poor drawing chimneys. You can prevent this every time by putting a low sheet iron smoke stack on chimney and on the smoke stack a Powers' Revolving Chimney Top. We furnish Iron Mountings as shown above, packed 6 set irons complete in wood box. In each box we put in patterns free for making cover and vane. Any tinner can make them. They are effective, simple and durable. They adjust with the slightest pressure of wind. The wind blowing past the sides creates a suction, drawing smoke and soot out. They don't choke up with soot like stationary ventilators. They make also a good weather vane.

PRICE LIST.

	Iron Mountings only.	With Cover and Vane Complete.
7 inch.....per dozen set,	$13.50	$24.00
8 inch..... " " "	15.00	26.00
10 inch..... " " "	18.00	30.00
12 inch..... " " "	22.50	35.00

Discount.....per cent.

In ordering less than half dozen sets of irons, state if pattern for cover and vane is wanted.

WRITE FOR DISCOUNTS.

No. 1 Fire Pot.

For Tinners and Galvanized Iron Workers.



Guaranteed best in use.

Rapidly superseding all others.

Greater capacity, cleaner to work, more easily cleaned.

With No. 1 fire pot, a kettle of solder or lead can be kept hot enough to wipe joints and at the same time, without removing kettle from the fire, there is sufficient room to heat and keep soldering irons ready for use.

No. 1 fire pot will heat all the metal and solder coppers two men can use at same time.

There is no other fire pot made that can do this.

NOTICE.

The "Special" fire pot is the same as the No. 1, except of slightly less capacity, though greatly more than any other fire pot at so low a price.

PRICE LIST.

No. 1 Fire Pot..... $6.00 net.

Special Fire Pot..... 4.50 "

No. 1 Torch.

For Painters, Plumbers and Electricians.



Price..... $4.00 net.

Guaranteed the best in use.

Larger sizes of fire pots for plumbers quoted on application.

We can furnish duplicate parts for repairs at reasonable prices, when wanted

WRITE FOR PRICES.

The Gate City Soldering and Melting Furnace and Brazing Torch.

For Plumbers, Tinners, Cornice Makers, Roofers, Conduit, Electric Light, Telephone and Bicycle Work.



Price, $6.00, net.

Can furnish parts for repairs.
Prices on application.

HOTTEST ON EARTH!

Uses but half the fuel required by other furnaces.

One filling will last all day.

The only gasoline furnace to take the place of charcoal.

The only burner that cannot clog up.

Guaranteed for one year to heat both soldering coppers and lead-pots, in all cold and windy weather.

Wind or draft will not affect nor put out the flame.

Simple in construction and operation.

Compact, strong, convenient.

Weighs only 11 lbs.

A brass set pump with a 10 inch stroke, takes the place of the old style rubber bulb.

No extra parts needed when used as a pot heater.

The flame is enclosed in such a manner that the wind will not effect it when used for outside work.

Brazing Torch—Needle Flame.

Price, $4.00, Net.

Valves for Repair, 50 cents.



Larger sizes quoted on application.

WRITE FOR PRICES.

The Acorn Ventilator

Embodies the only strictly scientific principle in ventilator construction. Positively no Back Draft. Absolutely Storm Proof.

HIGHEST OBTAINABLE EFFICIENCY.

Correctly proportioned. Ornamental in appearance. Mechanically perfect.



General View.



Broken View.

The peculiarly curved shape of deflector and shield allows freest exit of foul air, gases, fumes or smoke, as there are no abrupt angles to create cross or counter currents.

For mills, factories, schoolhouses, churches, refineries, foundries, depots, roundhouses, train sheds and residences.

PRICE LIST.

Size.	Area.		
2 inch	3¼	square in	$ 1.00 each
3 "	7	"	1.50 "
4 "	12½	"	1.75 "
5 "	19½	"	2.50 "
6 "	28¼	"	3.40 "
7 "	38½	"	4.00 "
8 "	50¼	"	4.65 "
9 "	63½	"	5.20 "
10 "	78	"	5.75 "
12 "	113	"	6.75 "
14 "	154	"	13.00 "
16 "	201	"	20.00 "
18 "	245	"	27.33 "
20 "	314	"	33.00 "

Size.	Area.		
22 inch	380	square in	$ 36.00 each
24 "	452	"	40.00 "
26 "	530	"	50.00 "
28 "	615	"	56.00 "
30 "	707	"	65.00 "
32 "	804	"	80 00 "
34 "	909	"	100.00 "
36 "	1018	"	120.00 "
40 "	1258	"	180.00 "
44 "	1520	"	200.00 "
48 "	1810	"	240.00 "
54 "	2290	"	300.00 "
60 "	2827	"	360.00 "

Any size made to order.

Copper Ventilators quoted upon application.

Discount.....per cent.

When used as Chimney Caps, capacity of Ventilator should be a little greater than the flue opening. Thus for 4 x 12 opening use 8 inch Ventilator.

WRITE FOR DISCOUNTS.

Nested Stove Pipe.

Haines' Patent.

Simplest in construction. Quickest and easiest to connect. Positive locking. Non-collapsable. Strongest and best. No special tools required.



Showing Method of Connecting Seam.



Position of Lock when Seam is connected.



Showing Finished Lock.

Combines the positive locking feature with the old method of Stove Pipe construction.

Made from No. 28 smooth steel sheets.

Nested and crated with twenty-five joints in a crate.

Size.	Price per Crate.	Shipping Weight.
5 inches	$3.90	50 lbs.
5½ "	4.20	55 "
6 "	4.50	60 "
6½ "	4.80	65 "
7 "	5.10	70 "

Stove Pipe Elbows, and No. 27 and No. 26 gauge stove Pipe quoted upon application.

WRITE FOR PRICES.

ORNAMENTAL

Steel Ceilings and Side Walls.

INTERIOR DECORATIONS.

Following we give a few illustrations of our Embossed Steel Plates for interior decorations, to which we beg to call your attention as being the most appropriate and durable finish on the market.

We desire more especially to convince you of the superior construction of our plates, assuring accuracy and close fitting joints, the two essential features necessary for perfect work, and hope at your first opportunity you will send us sketch and allow us to submit plans of our work. Can arrange plates in various designs and need only an opportunity to convince you of the neatness of design and accuracy of construction.

Special Ceiling Catalogue mailed upon application.



Shows section 4 feet by 6 feet, made from plate No. 2345, each, 24x24 inches.



Shows section 4 feet by 6 feet, made from plate No. 2361, each, 24x24 inches.



Section showing side wall Plate No. 2322; Frieze No. 2326; Cove No. 2266; Picture Mould No. 2267; Foot Mould No. 2060; Wainscoting Nos. 2310, 2311 and 2312.

Index.

	PAGE.
Awnings	25
Belt Mouldings	88
Brushes—Paint	27
Caps—Tin	29
Ceilings	123 to 127
Cement—Elastic Roofing	17
Chimney Tops, Kramer and Power's	117–118
Clips and Rivets	29
Conductor Pipe—Corrugated, Round and Square	60
" " Plain, Lock Seam, Round and Square	65
Conductor Fasteners, Hooks, Etc	62–63–64
" Heads, Plain and Ornamental	68–69
Copper—Sheet	76
Corner Covering	32
Corner Finish—Plain, Stamped Brick and Stone	37–38
Cornice—Galvanized	77 to 87
Cornice and Secret Gutter, combined	59
Crestings—Blocks and Finials	91 to 98
Curved Corrugated Sheets	24
Cut-Offs	70
Eaves Trough—Slip and Lap Joint	47–48
" " End Caps and Drops	49
Elbows and Shoes—Adjustable	66
" " Corrugated	61
" " Crimped	67
" " O. H. One Piece	66
" " Speaking Tube	72
Eyes for Doors and Shutters	43
Felt—Slaters'	14
Finials	104 to 112
Flashing—Stacks and Chimneys	28
" Side and End Wall	26
Fire Pot—Tinner's	119–120
Fronts—Stamped Sheet Metal	40 to 43
Galvanized Sheets, in Bundles and 3-16 inch Crimped	74
Gauge and Weights	45
Gutters—Belding's Roof	52
" O. G. and Box Gutters	50–51
" Plain Roof	50
Hangers for Eaves Trough—Acme Steel	54
" " " Malleable Drive	55 to 59
" " " Standard	53
Hip Caps	102–103
Insurance	5
Lead Washers	29
Lightning Proof	5
Lining Papers	14
Mitres	49
Mouldings—Crown and Ceiling	88

Index—Continued.

	PAGE.
Nails	29
Paint--Graphite and Iron Oxide	15 to 18
Pilasters	37-38
Plan of Construction and Pitch of Roof	4-5
Ridge Roll and Cap	26 and 73
Roofing--Beaded Pressed Standing Seam	8
" Cluster Slate	12
" Corrugated	18 to 22
" Crimped Edge	30
" Eastlake Shingles and Gothic Tile	11
" Folded Standing Seam	6
" Neponset Fabric	13
" Pressed Standing Seam	8
" Roll and Cap Standing Seam	7
" Smith Patent Standing Seam	3 to 6
" Three Crimped	31
" Tin Standing Seam	9
Rule of Measurement	45-46
Sewer Connections	71
Shutters and Doors, Fire Proof	43 and 44
Siding--Beaded	31
" Cluster Shingles	12
" Corrugated	18 to 22
" Crimped Edge	30
" Cushman Shingles	10
" Gothic Tile	11
" Eastlake Shingles	11
" Pressed Brick	33
" Rock-Face Brick	33
" Rock-Face Stone	34 to 36
" Three Crimped	31
" Weatherboard	32
Skylights	98 to 102
Solder	73
Speaking Tube	72
Stove Pipe	122
Strainers	72
Terms	2
Tin--Terne Plate	75
Tools	5
Valleys and Gutters	59
Vanes	112 to 116
Ventilators--Monarch	116
" Acorn	121
Window and Door Case Covering	27
" Bays	39
" Caps, Galvanized	39-89-90
" Dormer	102

ROLLER PRINTING CO., PRINTERS, PUBLISHERS, EMBOSSERS AND BINDERS, CANTON, O.

Digitized by:

ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL
www.apti.org
Australasia Chapter

**BUILDING
TECHNOLOGY
HERITAGE
LIBRARY**

https://archive.org/details/buildingtechnologyheritagelibrary

from the collection of:

Miles Lewis, Melbourne

funding provided by:

the Vera Moore Foundation, Australia